VOLUME 70 • AUTHOR INDEX

Achten E *see* de Leeuw F-E *et al*
Adab N *et al*. Additional educational needs in children born to mothers with epilepsy, **15**
Aerts H *see* Baumann N *et al*
Agathonikou A *see* Rees JH *et al*
Agid Y *see* Arnulf I *et al*
Aiba I *see* Watanabe H *et al*
Aichholzer M *see* Bertalanffy A *et al*
Ala TA *et al*. Pentagon copying is more impaired in dementia with Lewy bodies than in Alzheimer's disease, **483**
Alberti KGMM *see* Scott JF *et al*
Alegret M *et al*. Obsessive-compulsive symptoms in Parkinson's disease, **394**
Al-Khawaja I *et al*. Neurovisual rehabilitation in Balint's syndrome: *correspondence*, **416**
Altmeyer S *see* Cohrs S *et al*
Alvarez V *see* Fernández-Torre JL *et al*
Alvarez-Arcaya A *see* Sánchez-Guerra M *et al*
Anand P *see* Shembalkar P *et al*
Andrews PJD *see* Macmillan CSA *et al*
Ang CW *see* Koga M *et al*
Anstey A *see* Thomas FJ *et al*
Antoun N *see* Galton CJ *et al*
Apel TW *see* Gläsker S *et al*
Appenzeller O *et al*. Neurology in ancient faces, **524**
Arac N *see* Uludag B *et al*
Arai K *see* Sakakibara R *et al*
Arnulf I *et al*. Blockade of cholecystokinin-A receptors has no effect on dyskinesias in Parkinson's disease: *letter*, **812**
Athanassiadou A *see* Papapetropoulos S *et al*
Atkinson JLD *see* Wijdicks EFM *et al*
Auff E *see* Fertl E *et al*
Avard C *see* Schimpff R-M *et al*
Aydoğdu I *see* Ertekin C *et al*

Babel TB *et al*. Immediate and long term outcome after infrathalamic and thalamic lesioning for intractable Tourette's syndrome, **666**
Baborie A *et al*. Primary diffuse leptomeningeal gliomatosis predominantly affecting the spinal cord: case report and review of the literature, **256**
Backhouse OC. Idiopathic intracranial hypertension and anticardolipin antibodies: *correspondence*, **420**
Balakas N *see* Rees JH *et al*
Baldacci L *see* Gestri D *et al*
Balkhoyor KB, Bernstein M. Infarction and shrinkage of a meningioma after extensive cosmetic surgery, **405**
Bamford JM. Assessment and investigation of stroke and transient ischaemic attack: *Neurology in Practice*, **i3**
see Baborie A *et al*
Banister K *see* Gregson BA *et al*
Barker GJ *see* Rugg-Gunn FJ *et al*
see Wieshmann UC *et al*
Barker R *see* Coles A and Barker R
Barkhof F *see* Sormani MP *et al*
Barnes J, David AS. Visual hallucinations in Parkinson's disease: a review and phenomenological survey, **727**
Barnett M *et al*. Paraneoplastic brain stem encephalitis in a woman with anti-Ma2 antibody, **222**
Bathgate D *see* Snowden JS *et al*
Baumann N *et al*. Atypical course of neuropathic Gaucher's disease: follow up from early infancy until adulthood: *letter*, **133**
Bednarík J, Kadanka Z. Volitional and stimulation induced neuromyotonic discharges: unusual electrophysiological pattern in acquired neuromyotonia: *letter*, **406**
Benabid AL *see* Kremer S *et al*
Bender BU *see* Gläsker S *et al*
Berciano J *see* Sánchez-Guerra M *et al*
Berg JWMT, Goadsby PJ. Significance of atypical presentation of symptomatic SUNCT: a case report, **244**
Bernath O *et al*. Treatment of paroxysmal sympathetic storm with labetalol: *correspondence*, **818**
Bernheimer H *see* Fertl E *et al*
Bernstein M *see* Balkhoyor KB and Bernstein M
Berrios GE *see* Calderon J *et al*
Bertacchi G *see* Porta M *et al*
Bertalanffy A *et al*. Gamma knife radiosurgery of recurrent central neurocytomas: a preliminary report, **489**
Bertsch T *see* Fassbender K *et al*
Beyer W *see* Oechsner M *et al*
Bianchi S *see* Inglese M *et al*
Bilous RW *see* Wahid ST *et al*
Binnie CD *see* Hennessy MJ *et al*
Biraben A *et al*. Fear as the main feature of epileptic seizures, **186**
Blackburn AC *see* Taylor MC *et al*
Blackshaw A *see* Snowden JS *et al*
Bladin P *see* Wilson S *et al*
Blasczyk R *see* Windhagen A *et al*
Blennow K *see* Sjögren M *et al*
Blumbergs P *see* Ravindran J *et al*
Blumer D *see* Paradiso S *et al*
Blumhardt LD *see* Wilson M *et al*
Board PG *see* Taylor MC *et al*
Boers PM, Colebatch JG. Hashimoto's encephalopathy responding to plasmapheresis: *letter*, **132**
Bogousslavsky J *see* de Freitas GR *et al*
see Jung DK *et al*
Bone I *et al*. Neurology in practice: another supplement: why?: *editorial*, **427**
Neurology in practice: cerebrovascular disease: *Neurology in Practice*, **i1**
Neurology in practice: epilepsy: *Neurology in Practice*, **ii1**
Bonnet A-M *see* Arnulf I *et al*
Bonsanto M *see* Krause M *et al*
Book reviews Adker CH, Ahlskog JE, *editors*. Parkinson's disease and movement disorders. Diagnosis and treatment guidelines for the practicing physician, **822**
Berrios GE, Hodges JR, *editors*. Memory Disorders in Psychiatric Practice, **139**
Brading A. The Autonomic Nervous Sysem and its Effectors, **139**
Brown MM, *editor*. Stroke, **824**
Burks JS, Johnson KP, *editors*. Multiple Sclerosis. Diagnosis, Medical Management and Rehabilitation, **422**
Buschbacher RM. Manual of Nerve Conduction Studies, **139**
Byrne P. Philosophical and ethical problems in mental handicap, **421**
Childers MK. Botulinum toxin type A in pain management, **710**
Christodoulou GN, Lecic-Tosevski D, Kontaxakis VP, *editors*. Issues in preventive psychiatry, **423**
Dambska M, Wisniewski KE. Normal and pathologic development of the human brain and spinal cord, **709**
Davis LE, Kennedy PGE, *editors*. Infectious diseases of the nervous system, **268**
de Leon MJ, *editor*. An atlas of Alzheimer's disease. The encyclopedia of visual medicine series, **825**
Deymeer F, *editor*. Neuromuscular diseases: from basic mechanisms to clinical management: monographs in clinical neurosciences, volume 18, **710**
Diener HC, *editor*. Monographs in Clinical Neuroscience. Volume 17: Drug Treatment of Migraine and Other Headaches, **140**
Dunnett, Boulton, Baker, *editors*. Neural transplantation methods, **825**
Emerich DIP, Dean RL III, Sanberg PR, *editors*. Central Nervous System Diseases: Innovative Animal Models From Lab to Clinic, **821**
Feinstein A. The Clinical Neuropsychiatry of Multiple Sclerosis, **139**
Gauthier S, Cummings JL, *editors*. Alzheimer's disease and related disorders annual, **825**
Gelb DJ. Introduction to Clinical Neurology, **424**
Gillberg C, Coleman M. The biology of the autisitic syndromes, 3rd edition, **141**
Guberman A, Bruni J. Essentials of Clinical Epilepsy: 2nd Edition, **821**
Harrison PJ, Roberts GW, *editors*. The Neuropathology of Schizophrenia. Progress and Interpretation, **421**
Hughes RAC, *editor*. Neurological emergencies, 3rd edition, **823**
King R. Atlas of Peripheral Nerve Pathology, **140**
Klockgether T, *editor*. Handbook of ataxia disorders, **826**
Levine SR, Brey RL, *editors*. Clinical approach to antiphospholipid antibodies, **824**
Libet B, Freeman A, Sutherland K, *editors*. The volitional brain: towards a neuroscience of free will, **710**
Meara J, Koller WC, editors. Parkinson's Disease and Parkinsonism in the Elderly, **424**
Morrison MJ, editor. Hormones, Gender and the Aging Brain. The Endocrine Basis of Geriatric Psychiatry, **423**
Newman SP, Harrison MJG, *editors*. The brain and cardiac surgery. Causes of neurological complications and their prevention, **827**
Nutt D, Argyropoulos S, Hood S, *editors*. Clinician's manual on anxiety disorders and comorbid depression, **826**
O'Brian J, Ames D, Burns A, editors. Dementia, 2nd edition, **824**
Ozer MN, *editor*. Management of persons with chronic neurologic illness, **140**
Pasik P, Pasik T, *editors*. Texture of the Nervous System of Man and the Vertebrates by Santiago Ramon y Cajal. Volume 1, **422**
Pellock JM, Dodson WE, Bourgeois BFD, *editors*. Pediatric epilepsy: diagnosis and therapy, 2nd edition, **826**
Perkin GD, Wolinsky JS. Multiple sclerosis, **709**
Riva D, Benton A, *editors*.Localization of brain lesions and developmental functions, **823**
Said G, *editor*. Treatment of neurological disorders with intravenous immunoglobulins, **822**
Schmidley JW. Central Nervous System Angitis, **140**

Seeger W, *editor*. Microanatomical aspects for Neurosurgeons and Neuroradiologists, **423**
Spencer PS, Schaumburg HH, Ludolph AC, *editors*. Experimental and Clinical Neurotoxicology, 2nd edition, **424**
Spreafico R, Avanzini G, Andermann F. Abnormal Cortical Development and Epilepsy: From Basic to Clinical Science, **138**
Stahl SM. Essential Psychopharmacology: Neuroscientific Basis and Practical Applications, **423**
Thapar K, Kovacs K, Scheithauer BW, *et al*, *editors*. Diagnosis and management of pituitary tumors, **826**
Wilkins RH, Wilkins GK, *editors*. Neurosurgical classics II, **827**
Bostock H *see* Kiernan MC *et al*
Bottiglieri T *see* Widner B *et al*
Bousser M-G, Tournier-Lasserve E. Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: from stroke to vessel wall physiology: *editorial*, **285**
Boylan LS, Fong GCY. Postictal psychosis related regional cerebral hyperfusion: *correspondence*, **137**
Bozzali M *see* Cercignani M *et al*
Brack M *see* Wilkening A *et al*
Bradshaw JL, Mattingley JB. Allodynia: a sensory analogue of motor mirror neurons in a hyperaesthetic patient reporting instantaneous discomfort to another's perceived sudden minor injury?: *letter*, **135**
Bragadin LM *see* Zivadinov R *et al*
Brandis A *see* Wilkening A *et al*
Brandt SA *see* Poggel DA *et al*
Bratina A *see* Zivadinov R *et al*
Brefel C *see* Arnulf I *et al*
Breitner JCS. Vascular depression: new light on an established idea?: *commentary*, **3**
Breteler MMB *see* de Leeuw F-E *et al*
Brew BJ. HTLV-I and HIV infections of the CNS in tropical areas: *correspondence*, **138**
Brex PA *et al*. Assessing the risk of early multiple sclerosis in patients with clinically isolated syndromes: the role of a follow up MRI, **390**
Measurement of spinal cord area in clinically isolated syndromes suggestive of multiple sclerosis, **544**
Bridges LR *see* Baborie A *et al*
Bromfield EB *see* Bernath O *et al*
Bronstein AM *see* Radtke A *et al*
Brooks DJ *see* Ponsford JR and Brooks DJ
Broussolle E *see* Giraud P *et al*
Brown A *see* Thomas AJ *et al*
Brown MM. Identification and management of difficult stroke and TIA syndromes: *Neurology in Practice*, **i17**
Bruck W *see* Kuhlmann T *et al*
Brunner J *see* Fassbender K *et al*
Brusa A *see* Rinalduzzi S *et al*
Bruzzi P *see* Sormani MP *et al*
Bryan N *see* Grados MA *et al*
Bryant J *et al*. Systematic review of immunomodulatory drugs for the treatment of people with multiple sclerosis: Is there good quality evidence on effectiveness and cost?, **574**
Buchert R *see* Oechsner M *et al*
Buchheim K *see* Holtkamp M *et al*
Buck R *see* Ross ED *et al*
Budka H *see* Kovács GG *et al*
Burdon MB *see* Nicholl DJ *et al*
Burgard M *see* Ross ED *et al*
Burke D *see* Kuwabara S *et al*
Butcher C *see* Sharma JC *et al*

Calcagni ML *see* Cappa A *et al*
Calderon J *et al*. Perception, attention, and working memory are disproportionately impaired in dementia with Lewy bodies compared with Alzheimer's disease, **157**
Cappa A *et al*. Brain perfusion abnormalities in Alzheimer's disease: comparison between patients with focal temporal lobe dysfunction and patients with diffuse cognitive impairment, **22**
Cappelen-Smith C *see* Kuwabara S *et al*
Caputo D *see* Milanese C *et al*
Carbonin PU *see* Zuccalà G *et al*
Carosella L *see* Zuccalà G *et al*
Carruzzo A *see* de Freitas GR *et al*
Cartwright J *see* Ross ED *et al*
Casini AR *see* Prencipe M *et al*
Catalán R *see* Poca MA *et al*
Cattel C *see* Zuccalà G *et al*
Cattelin F *see* Arnulf I *et al*
Cavallaro T *see* Fabrizi GM *et al*
Cazzato G *see* Zivadinov R *et al*
Cercignani M *et al*. Magnetisation transfer ratio and mean diffusivity of normal appearing white and grey matter from patients with multiple sclerosis, **311**
Chadwick D *see* Adab N *et al*
see Smith D
Chadwick DW *see* Marson AG and Chadwick DW
Chambers IR *see* Gregson BA *et al*
Chan KM *see* Mouradian MS *et al*
Chang KH *see* Kang D-W *et al*
Chassagnon S *see* Kremer S *et al*
Chauvel P *see* Biraben A *et al*
Chazot G *see* Giraud P *et al*
Chen TSN *see* Eftychiadis AC and Chen TSN
Chistyakov AV *et al*. Excitatory and inhibitory corticospinal responses to transcranial magnetic stimulation in patients with minor to moderate head injury, **580**
Cho J-Y *see* Kang D-W *et al*
Chu K *see* Kang D-W *et al*
Chung JH *see* Kim J *et al*
Cipolotti L *see* Gorno-Tempini M-L *et al*
Clark CA *see* Wieshmann UC *et al*
Clegg A *see* Bryant J *et al*
Cocchi A *see* Zuccalà G *et al*
Cohrs S *et al*. Decreased sleep quality and increased sleep related movements in patients with Tourette's syndrome, **192**
Colebatch JG *see* Boers PM and Colebatch JG
Coles A, Barker R. A case of stiff limb syndrome responsive to plasma exchange: *letter*, **407**
Coles A *et al*. Multiple sclerosis treatment trial precipitates divorce: *letter*, **135**
Collet L *see* Veuillet E *et al*
Combarros O *see* Sánchez-Guerra M *et al*
Comi G *see* Cercignani M *et al*
see Sormani MP *et al*
Compston A *see* Coles A *et al*
Corcos DM *see* McAuley JH *et al*
Crompton J *see* Ravindran J *et al*
Culasso F *see* Prencipe M *et al*
Curio N *see* Herrmann M *et al*
Currie L *see* Holroyd S *et al*
Czosnyka M *see* Schmidt EA *et al*

Dalakas MC. Progress in inflammatory myopathies: good but not good enough: *editorial*, **569**
Dalery J *see* Veuillet E *et al*
Dalmau J *see* Barnett M *et al*
Dalrymple-Alford J. Comparative neuropsychology of Lewy body and Alzheimer's dementia: *commentary*, **148**
Danek A *see* Oechsner M *et al*
Daroff RB *et al*. Cerebral malaria: *correspondence*, **817**
David AS *see* Barnes J and David AS
David AS. Synapses, sea slugs, and psychiatry: *editorial*, **1**
Davidsson P *see* Sjögren M *et al*
Davies K *see* Paradiso S *et al*
Davies L *see* Barnett M *et al*
Deans J *see* Coles A *et al*
de Bruijn SFTM *et al*. Clinical features and prognostic factors of cerebral venous sinus thrombosis in a prospective series of 59 patients, **105**
Dechent P *see* Kuhlmann T *et al*
Dechy H *see* Milea D *et al*
de Freitas GR *et al*. Massive haemorrhagic transformation in cardioembolic stroke: the role of arterial wall trauma and dissection, **672**
de Groot JC *see* de Leeuw F-E *et al*
de Haan RJ *see* de Bruijn SFTM *et al*
del Barrio A *see* Gómez-Tortosa E and del Barrio A
Delattre J-Y *see* Milea D *et al*
de Leeuw F-E *et al*. Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study. The Rotterdam Scan Study, **9**
de Luca S *see* Vigliani MC *et al*
de Masi R *see* Zivadinov R *et al*
Denckla MB *see* Grados MA *et al*
Dengler R *see* Wilkening A *et al*
Dening TR *see* Calderon J *et al*
Dennis MS *see* Sharma JC *et al*
de Rossi G *see* Cappa A *et al*
Descombes S *see* Arnulf I *et al*
Deuschl G *see* Raethjen J *et al*
see Stolze H *et al*
Devaraj V *see* Wilson SM *et al*
Devoize JL "The other" Babinski's sign: paradoxical raising of the eyebrow in hemifacial spasm, **516**
de Vries PJ *et al*. Dementia as a complication of schizophrenia, **588**
Devuyst G *see* Jung DK *et al*
de Zan A *see* Vigliani MC *et al*
Dietrich W *see* Bertalanffy A *et al*
Dietz V. Gait disorders: *commentary*, **288**
Do D *see* Bernath O *et al*
Doyu M *see* Watanabe H *et al*
Dravet C *see* Gelisse P *et al*
Drucke H *see* Stolze H *et al*
Duffau H Acute functional reorganisation of the human motor cortex during resection of central lesions: a study using intraoperative brain mapping, **506**
Duncan JS *see* Rugg-Gunn FJ *et al*
Duncan JS. The outcome of epilepsy surgery: *commentary*, **432**
Duncombe AS *see* Hellier KD *et al*
Dunn EM *see* Baborie A *et al*

Dziewas R *see* Lüdemann P *et al*

Easton VJ *see* Macmillan CSA *et al*
Ebert AD *see* Herrmann M *et al*
Ebner A *see* Polster T *et al*
Eftychiadis AC, Chen TSN. Saint Vitus and his dance, **14**
Ehrenreich H *see* Kuhlmann T *et al*
Elble RJ *see* Ala TA *et al*
Ellis SJ *see* Kalamangalam GP and Ellis SJ
Ellul J *see* Papapetropoulos S *et al*
Elwes RDC *see* Hennessy MJ *et al*
Emslie HC *see* Wilson BA *et al*
Erberich S *see* Krings T *et al*
Erbguth FJ *see* Winterholler MGM *et al*
Ertekin C *et al.* Electrophysiological evaluation of oropharyngeal swallowing in myotonic dystrophy, **363**
Ertl A *see* Bertalanffy A *et al*
Ertsey C *see* Kovács GG *et al*
Erzinclioglu SW *see* Calderon J *et al*
Esiri MM *see* Lin W-R *et al*
see McShane RH *et al*
Eustacchio S *see* Trummer M *et al*
Evans JJ *see* Wilson BA *et al*
Even C *see* Biraben A *et al*

Fabrizi GM *et al.* PMP22 related congenital hypomyelination neuropathy, **123**
Faldon M *see* Radtke A *et al*
Fassbender K *et al.* Inflammatory cytokines in subarachnoid haemorrhage: association with abnormal blood flow velocities in basal cerebral arteries, **534**
Feinsod M *see* Chistyakov AV *et al*
Fénelon G *see* Schimpff R-M *et al*
Ferenci P *see* Nicholl DJ *et al*
Fernández-Torre JL *et al.* De novo partial duplication of 17p associated with Charcot-Marie-Tooth disease type 1A: *letter*, **703**
Ferrari R, Schrader H. The late whiplash syndrome: a biopsychosocial approach: *review*, **722**
Ferrarini M *see* Fabrizi GM *et al*
Ferrer X *see* Lagueny A *et al*
Ferretti C *see* Prencipe M *et al*
Ferrier IN *see* Thomas AJ *et al*
Fertl E *et al.* Refsum's disease in an Arabian family: *letter*, **564**
Filippi M *see* Cercignani M *et al*
see Inglese M *et al*
see Sormani MP *et al*
Fitzpatrick R *see* Jenkinson C and Fitzpatrick R
Flaschka G *see* Trummer M *et al*
Fleckenstein J *see* Frohman EM *et al*
Flicker H *see* Kovács GG *et al*
Flisser A. Neurocysticercosis and epilepsy in developing countries: *correspondence*, **707**
Fogel W *see* Krause M *et al*
Földy D *see* Fertl E *et al*
Fong GCY *see* Boylan LS and Fong GCY
Fontaine B *see* Baumann N *et al*
Fork ML *see* Herrmann M *et al*
Fowler C *see* Shembalkar P *et al*
Frahm J *see* Kuhlmann T *et al*
Franks AJ *see* Stone J *et al*
Franzén S *see* Kühme T *et al*
Freeman JA, Thompson AJ. Building an evidence base for multiple sclerosis management: support for physiotherapy: *commentary*, **147**
French JM *see* Scott JF *et al*
Frese A *see* Lüdemann P *et al*
Frisoni GB. Structural imaging in the clinical diagnosis of Alzheimer's disease: problems and tools: *editorial*, **711**
Fritzinger M *see* Fassbender K *et al*
Frohman EM *et al.* Ocular contrapulsion in multiple sclerosis: clinical features and pathophysiological mechanisms, **688**
Frohman TC *see* Frohman EM *et al*
Fuchs D *see* Widner B *et al*
Fukami M *see* Kanemoto K *et al*
Fukutake T *see* Sakakibara R *et al*
Fuller GN *see* Bone I *et al*
Fuller KJ *see* Wiles CM *et al*
Furnival-Doran J *see* Wiles CM *et al*
Fuzesi L *see* Kuhlmann T *et al*

Gainotti G *see* Cappa A *et al*
Galante M *see* Nardone A *et al*
Galard R *see* Poca MA *et al*
Galli E *see* Gestri D *et al*
Galton CJ *et al.* Temporal lobe rating scale: application to Alzheimer's disease and frontotemporal dementia, **165**
Gamba M *see* Porta M *et al*
Gardner-Thorpe C *see* Wilson SM *et al*
Garrard ABWP *see* Ralph MAL *et al*
Gelisse P *et al.* Clinical factors of drug resistance in juvenile myoclonic epilepsy, **240**
Genton P *see* Gelisse P *et al*
Georgieff N *see* Veuillet E *et al*
Gerring JP *see* Grados MA *et al*
Gestri D *et al.* Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system, **767**
Ghezzi A *see* Inglese M *et al*
Ghobrial MW *see* Ala TA *et al*
Gibbons ZC *see* Snowden JS *et al*
Giess R *see* Winterholler MGM *et al*
Gilsbach JM *see* Krings T *et al*
Giordano A *see* Cappa A *et al*
Giovanonni G *see* Rees JH *et al*
Giraud P *et al.* Intravenous hypertrophic Paccioni granulations: differentiation from venous dural thrombosis: *lesson of the month*, **700**
Gladman JRF *see* Walker MF *et al*
Gläsker S *et al.* Reconsideration of biallelic inactivation of the *VHL* tumour suppressor gene in hemangioblastomas of the central nervous system, **644**
Goadsby PJ *see* Berg JWMT and Goadsby PJ
Goishi A *see* Sonoda S *et al*
Gomez-Anson B *see* Galton CJ *et al*
Gómez-Tortosa E, del Barrio A. Posterior alexia after right occipitotemporal infarction: *letter*, **702**
González-García J *see* Sánchez-Guerra M *et al*
Gooskens I *see* Schmidt EA *et al*
Gorno-Tempini M-L *et al.* Identification without naming: a functional neuroimaging study of an anomic patient, **397**
Gottlob I *see* Lavin P *et al*
Grados MA *et al.* Depth of lesion model in children and adolescents with moderate to severe traumatic brain injury: use of SPGR MRI to predict severity and outcome, **350**
Granérus A-K *see* Sjögren M *et al*
Graves M *see* Galton CJ *et al*
Gray CS *see* Scott JF *et al*
Green AJE *et al.* Use of 14–3–3 and other brain-specific proteins in CSF in the diagnosis of variant Creutzfeldt-Jakob disease, **744**
Greenwood R *see* Rugg-Gunn FJ *et al*
Gregson BA *et al.* Statistics and analysis of the Camino ICP monitor: *correspondence*, **138**
Gresty MA *see* Radtke A *et al*
Griffiths PD *see* Mitchell P *et al*
Grop A *see* Zivadinov R *et al*
Grosse P *et al.* Encephalomyelitis due to *Cryptococcus neoformans* var *gattii* presenting as spinal tumour: case report and review of the literature, **113**
Group FTCVSTS *see* de Bruijn SFTM *et al*
Grubich C *see* Herrmann M *et al*
Guarino M *see* Stracciari A *et al*
Guldvog B *see* Rønning OM *et al*
Guthrie JA *see* Stone J *et al*

Haapaniemi TH *et al.* Ambulatory ECG and analysis of heart rate variability in Parkinson's disease, **305**
Haas LF. Charles Robert Richet (1850–1935), **255**
Paul Ehrlich (1854–1915) and Emil Adolf Von Behring (1854–1917), **678**
Paul Emilio Roux (1853–1933), **393**
Sir David Bruce (1855–1931) and Thermistocles Zammit (1864–1935), **520**
Valdimir Mikhailovich Bechterev (1857–1927), **743**
Wilhelm Conrad Von Röntgen (1845–1923), **126**
Haboubi NHJ *see* Al-Khawaja I *et al*
Hacke W *see* Krause M *et al*
Hafner H *see* Chistyakov AV *et al*
Hahn Y *see* Kim J *et al*
Hain SF *see* Rees JH *et al*
Hajak G *see* Cohrs S *et al*
Halmagyi GM *see* Barnett M *et al*
Hammans SR *see* Hellier KD *et al*
Hansel S *see* Ross ED *et al*
Happe S *see* Lüdemann P *et al*
Harigaya Y *see* Takenoshita H *et al*
Harper C *see* Barnett M *et al*
Hart IK *see* Kiernan MC *et al*
Hartmann A *see* Petzold A *et al*
Harwood RH *see* Murphy R *et al*
Hasselbalch SG *see* Pinborg LH *et al*
Hasson MS *see* Sharma JC *et al*
Hatchwell E *see* Hellier KD *et al*
Hattori T *see* Kuwabara S *et al*
see Sakakibara R *et al*
Hawker K *see* Frohman EM *et al*
Hawkins K *see* Walker MF *et al*
Hawley CA. Return to driving after head injury, **761**
Heck A *see* Krause M *et al*
Hegerl U *see* Mavrogiorgou P *et al*
Heidenreich F *see* Wilkening A *et al*
see Windhagen A *et al*
Heijboer R *see* de Leeuw F-E *et al*
Hellier KD *et al.* X-linked sideroblastic anaemia with ataxia: another mitochondrial disease?, **65**

Hengstman GJD *et al.* Anti-Jo-1 positive inclusion body myositis with a marked and sustained clinical improvement after oral prednisone: *letter*, **706**
Hennerici M *see* Fassbender K *et al*
Hennessy MJ *et al.* Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions, **450**
Herbrink P *see* Koga M *et al*
Hermann BP *see* Paradiso S *et al*
Hermier M *see* Giraud P *et al*
Hernando I *see* Fernández-Torre JL *et al*
Herrmann M *et al.* Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury, **95**
Hildebrandt G *see* Sanden U and Hildebrandt G
Hillier CEM *et al.* Creutzfeldt-Jakob disease in a young person with valine homozygosity at codon 129: sporadic or variant?: *letter*, **134**
Hirata K *see* Koga M *et al*
see Odaka M *et al*
Hirayama M *see* Watanabe H *et al*
Hobart J *see* Manson AJ *et al*
Hodapp B *see* Fassbender K *et al*
Hodges JR *see* Calderon J *et al*
see Galton CJ *et al*
see Ralph MAL *et al*
Hodgson T *see* Mitchell P *et al*
Hoffmann D *see* Kremer S *et al*
Hoffmann O *see* Holtkamp M *et al*
Hofman A *see* de Leeuw F-E *et al*
Hoggard N *see* Mitchell P *et al*
Holroyd S *et al.* Prospective study of hallucinations and delusions in Parkinson's disease, **734**
Holtkamp M *et al.* Hemicraniectomy in elderly patients with space occupying media infarction: improved survival but poor functional outcome, **226**
Homann CN *see* Trummer M *et al*
Honavar M *see* Hennessy MJ *et al*
Honer WG *see* de Vries PJ *et al*
Hoppe M *see* Polster T *et al*
Horiuchi I *see* Osoegawa M *et al*
Horn P *see* Fassbender K *et al*
Horvath R *see* Klivenyi P *et al*
Hosseini H *see* Baumann N *et al*
Houkin K *see* Kamada K *et al*
Howard D *see* Ralph MAL *et al*
Hughes LF *see* Ala TA *et al*
Hughes TAT *see* Thomas FJ *et al*
Huikuri HV *see* Haapaniemi TH *et al*
Hummel T *see* Welge-Luessen A *et al*
Husseini JE *see* Mavrogiorgou P *et al*

Iannucci G *see* Cercignani M *et al*
Ibañez J *see* Poca MA *et al*
Ieda T *see* Watanabe H *et al*
Igeta Y *see* Takenoshita H *et al*
Ikeda M. Iron overload without the C282Y mutation in patients with epilepsy, **551**
Illert M *see* Stolze H *et al*
Imbesi SG *see* Shin RK *et al*
Inglese M *et al.* Magnetic resonance imaging, magnetisation transfer imaging, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy, **444**
Irioka T *et al.* Acute autonomic and sensory neuropathy after interferon α-2b therapy for chronic hepatitis C: *letter*, **408**
Irlbacher K *see* Meyer B-U *et al*
Ironside JW *see* Green AJE *et al*
see Hillier CEM *et al*
Ishida K *see* Takenoshita H *et al*
Ishiwata K *see* Osoegawa M *et al*
Itzhaki RF *see* Lin W-R *et al*
Iwasaki Y *see* Kamada K *et al*

Jacobs BC *see* Koga M *et al*
Jacoby A *see* Adab N *et al*
Jagadisha *see* Murali N *et al*
Jahanshahi M *see* Siderowf AD *et al*
Jaillon C *see* Arnulf I *et al*
Jaster JH. Unexpected sudden death after lateral medullary infarction: *correspondence*, **137**
Jeerakathil T *see* Mouradian MS *et al*
Jelencsik I *see* Kovács GG *et al*
Jellinek DA *see* Mitchell P *et al*
Jenkinson C, Fitzpatrick R. Reduced item set for the amyotrophic lateral sclerosis assessment questionnaire: development and validation of the ALSAQ-5, **70**
Joachim C *see* McShane RH *et al*
Jöhnk K *see* Stolze H *et al*
Johnson MH *see* Stone J *et al*
Johnson MR *see* Johnson MR *et al*
Johnson MR *et al.* The clinical impact of epilepsy genetics: *editorial*, **428**
Jolles J *see* de Leeuw F-E *et al*
Jones SJ *see* Rinalduzzi S *et al*
Jost S *see* Herrmann M *et al*
Juckel G *see* Mavrogiorgou P *et al*
Junaid I *see* Shembalkar P *et al*
Jung DK *et al.* Atrial fibrillation with small subcortical infarcts, **344**
Junqué C *see* Alegret M *et al*

Kadanka Z *see* Bednarik J and Kadanka Z
Kahane P *see* Kremer S *et al*
Kalamangalam GP, Ellis SJ. Migrainous brain stem disturbance in Norrie disease: case report: *letter*, **815**
Kalaria RN *see* Thomas AJ *et al*
Kamada K *et al.* Reversible brain dysfunction in MELAS: MEG, and ^{1}H MRS analysis, **675**
Kaneko M *see* Nakasu S *et al*
Kanemoto K *et al.* Rub epilepsy: a somatosensory evoked reflex epilepsy induced by prolonged cutaneous stimulation, **541**
Kang D-W *et al.* Diffusion weighted magnetic resonance imaging in Neuro-Behçet's disease: *letter*, **412**
Kappelle LJ *see* van Everdingen KJ *et al*
Kar N *see* Murali N *et al*
Karasoy H *see* Ertekin C *et al*
Karg E *see* Klivenyi P *et al*
Kasten E *see* Poggel DA *et al*
Kat S *see* Winterholler MGM *et al*
Katayama K *see* Sakakibara R *et al*
Katayama T *see* Watanabe H *et al*
Katzenschlager R *see* Manson AJ *et al*
Kawasaki J *see* Kanemoto K *et al*
Kemeny S *see* Krings T *et al*
Kemp PM *see* de Vries PJ *et al*
Kennard C *see* Bone I *et al*
Kerkhoff G *see* Al-Khawaja I *et al*
Kermode AG *see* Leong WK and Kermode AG
Kew J *see* Hellier KD *et al*
Kiernan MC *et al.* Excitability properties of motor axons in patients with spontaneous motor unit activity, **56**
Kim J *et al.* Phenotypic variation of a Thr704Met mutation in skeletal sodium channel gene in a family with paralysis periodica paramyotonica, **618**
Kim JM *see* Kim J *et al*
Kimura K *et al.* Atypical form of dural graft associated Creutzfeldt-Jakob disease: report of a postmortem case with review of the literature, **696**
King E *see* McShane RH *et al*
Kinkelbur J *see* Cohrs S *et al*
Kira J, Ochi H. Juvenile muscular atrophy of the distal upper limb (Hirayama disease) associated with atopy, **798**
Kira YOJ-I *see* Osoegawa M *et al*
Kitagawa M *see* Kamada K *et al*
Kitz K *see* Bertalanffy A *et al*
Klenerman P *see* Lin W-R *et al*
Klijn CJM *see* van Everdingen KJ *et al*
Klinger H *see* Vercueil L and Klinger H
Klivenyi P *et al.* α-Tocopherol/lipid ratio in blood is decreased in patients with Leber's hereditary optic neuropathy and asymptomatic carriers of the 11778 mtDNA mutation, **359**
Knight RSG *see* Green AJE *et al*
Knudsen GM *see* Pinborg LH *et al*
Koga M *et al.* Comparative study of preceding *Campylobacter jejuni* infection in Guillain-Barré syndrome in Japan and The Netherlands, **693**
Komolafe MO *see* Oluwole OSA *et al*
Komoly S *see* Klivenyi P *et al*
Koo J-S *see* Kang D-W *et al*
Korinth M *see* Krings T *et al*
Korpelainen JT *see* Haapaniemi TH *et al*
Kossych V *see* Pollak L *et al*
Kostanecka T *see* Cohrs S *et al*
Kovács GG *et al.* Inherited prion disease with A117V mutation of the prion protein gene: a novel Hungarian family, **802**
Koyanagi I *see* Kamada K *et al*
Krack P *see* Raethjen J *et al*
Krakow K *see* Wieshmann UC *et al*
Kramer PD *see* Frohman EM *et al*
Krause M *et al.* Deep brain stimulation for the treatment of Parkinson's disease: subthalamic nucleus versus globus pallidus internus, **464**
Kreisel S *see* Fassbender K *et al*
Kremer S *et al.* The cingulate hidden hand: *letter*, **264**
Krings T *et al.* Functional MRI for presurgical planning: problems, artefacts, and solution strategies, **749**
Kruszynski R *see* Appenzeller O *et al*
Kuhlmann T *et al.* Diagnosis of a multifocal B cell lymphoma with preceding demyelinating central nervous system lesions by single voxel proton MR spectroscopy, **259**
Kuhme T *et al.* The simple solution to a complex case, **263**
Kuhtz-Buschbeck JP *see* Stolze H *et al*
Kunze K *see* Pfeiffer G *et al*

Kupsch A *see* Trottenberg T *et al*
Kuriki S *see* Kamada K *et al*
Kuwabara S *et al.* Differences in accommodative properties of median and peroneal motor axons, **372**
Indicators of rapid clinical recovery in Guillain-Barré syndrome, **560**
Kyrouac GA *see* Ala TA *et al*

Laak HJT *see* Hengstman GJD *et al*
Lagueny A *et al.* Mild recurrent neuropathy in CMT1B with a novel nonsense mutation in the extracellular domain of the MPZ gene, **232**
Landau WM *see* Nelson DA and Landau WM
Lang B *see* Maddison P *et al*
Lanska DJ. Henry Hun (1854–1924), **349**
Lantos PL. Diagnostic criteria of multiple system atrophy: *correspondence*, **709**
László L *see* Kovács GG *et al*
Latour P *see* Lagueny A *et al*
Lavin P *et al.* Arnold Chiari malformation and nystagmus of skew: *correspondence*, **416**
Leary SM *see* Brex PA *et al*
Leblhuber F *see* Widner B *et al*
le Couteur DG *see* Taylor MC *et al*
Lee YJ *see* Kim J *et al*
Lees AJ *see* Manson AJ *et al*
Lefèvre M *see* Baumann N *et al*
le Hoang P *see* Milea D *et al*
le Masson G *see* Lagueny A *et al*
Lemke MR *see* Raethjen J *et al*
Leong WK, Kermode AG. Acute deterioration in Chiari type 1 malformation after chiropractic cervical manipulation: *letter*, **816**
Leppert D, Radue E-W. Medial medullary syndrome due to vertebral artery dissection, **130**
Levy G *see* Chistyakov AV *et al*
Lewis SC *see* Sharma JC *et al*
Lhiaubet A-M *see* Schimpff R-M *et al*
Lilic D *see* Wahid ST *et al*
Lin CS-Y *see* Kuwabara S *et al*
Lin W-R *et al.* Herpes simplex encephalitis: involvement of apolipoprotein E genotype, **117**
Lin X *see* Wilson M *et al*
Lincoln NB *see* Walker MF *et al*
Lindemann M *see* Raethjen J *et al*
Lindert R-B *see* Windhagen A *et al*
Link H *see* Oluwole OSA *et al*
Liu C Magnetic resonance, magnetisation transfer, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy: *commentary*, **431**
Llewelyn JG *see* Hillier CEM *et al*
Llorca J *see* Sánchez-Guerra M *et al*
Lobrinus JA *see* de Freitas GR *et al*
Lorenz R *see* Rinkel GJE *et al*
Lucas B *see* Nardone A *et al*
Ludemann P *et al.* Axonal polyneuropathy in obstructive sleep apnoea, **685**
Luxsuwong M *see* Rees JH *et al*

McAuley JH *et al.* Levodopa reversible loss of the Piper frequency oscillation component in Parkinson's disease, **471**
McKenna PJ *see* de Vries PJ *et al*
McKenzie JM *see* Green AJE *et al*
MacLeod M-A *see* Green AJE *et al*
Macleod WN *see* Turner MR and Macleod WN
Macmillan CSA *et al.* Increased jugular bulb saturation is associated with poor outcome in traumatic brain injury, **101**
McShane RH *et al.* Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology, **739**
Maddison P *et al.* Long term outcome in Lambert-Eaton myasthenic syndrome without lung cancer, **212**
Maeder P *see* Jung DK *et al*
Maggi E *see* Gestri D *et al*
Maier-Hauff K *see* Trottenberg T *et al*
Majtényi C *see* Kovács GG *et al*
Mali WPTM *see* van Everdingen KJ *et al*
Mancardi GL *see* Inglese M *et al*
Manford M Assessment and investigation of possible epileptic seizures: *Neurology in Practice*, **ii3**
Maniak S *see* Windhagen A *et al*
Mann DMA. Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology: *commentary*, **720**
Manson AJ *et al.* High dose naltrexone for dyskinesias induced by levodopa, **554**
Mantia LL *see* Inglese M *et al*
see Milanese C *et al*
Marchesini G *see* Stracciari A *et al*
Marckmann S *see* Windhagen A *et al*
Marie-Cardine M *see* Veuillet E *et al*
Marquardt G *see* Rinkel GJE *et al*
Marque P *et al.* Facilitation of transmission in heteronymous group II pathways in spastic hemiplegic patients, **36**
Marra C *see* Cappa A *et al*
Marsden CD *see* McAuley JH *et al*
Marson AG, Chadwick DW. New drug treatments for epilepsy: *editorial*, **143**
Martí MJ *see* Alegret M *et al*
Massacesi L *see* Gestri D *et al*
Masuhr F *see* Holtkamp M *et al*
Mataró M *see* Poca MA *et al*
Mateo I *see* Sánchez-Guerra M *et al*
Matsuda M *see* Nakasu S *et al*
Matsuishi T *see* Zhou G *et al*
Matsumoto A *see* Tajima Y *et al*
Matsumoto S *see* Osoegawa M *et al*
Matta BF *see* Schmidt EA *et al*
Mattingley JB *see* Bradshaw JL and Mattingley JB
Maupas E *see* Marque P *et al*
Mavrogiorgou P *et al.* Kinematic analysis of handwriting movements in patients with obsessive-compulsive disorder, **605**
Mead GE *see* Sharma JC *et al*
Meagher D *et al.* Delirium episode as a sign of undetected dementia among community dwelling elderly subjects: *correspondence*, **821**
Meierkord H *see* Meyer B-U *et al*
Meissner W *see* Trottenberg T *et al*
Mellick GD *see* Taylor MC *et al*
Mentrup H *see* Paulig M and Mentrup H
Mergl R *see* Mavrogiorgou P *et al*
Meyer B-U *et al.* Analysis of stimuli triggering attacks of paroxysmal dystonia induced by exertion, **247**
Milanese C *et al.* Azathioprine and interferon β-1b treatment in relapsing-remitting multiple sclerosis: *letter*, **413**
Milea D *et al.* Complete bilateral horizontal gaze paralysis disclosing multiple sclerosis, **252**
Miller DH *see* Brex PA *et al*
see Brex PA *et al*
see Sormani MP *et al*
Miller P *see* Murphy R *et al*
Mills K *see* Maddison P *et al*
Milne R *see* Bryant J *et al*
Milo R *see* Pollak L *et al*
Mindham RHS. Visual hallucinations in Parkinson's disease: their nature, frequency, and origins: *commentary*, **719**
Minthon L *see* Sjögren M *et al*
Miszkiel KA *see* Brex PA *et al*
see Brex PA *et al*
Mitchell P *et al.* Detection of subarachnoid haemorrhage with magnetic resonance imaging, **205**
Mitoma H *see* Takenoshita H *et al*
Mitsumori K *see* Kamada K *et al*
Miura H *see* Irioka T *et al*
Miura Y *see* Zhou G *et al*
Miyagishi R *see* Tajima Y *et al*
Mizusawa H *see* Irioka T *et al*
see Takenoshita H *et al*
Mochan A *see* Modi G *et al*
Modi G *et al.* Demyelinating disorder of the central nervous system occurring in black South Africans, **500**
Modi M *see* Modi G *et al*
Mogyoros I *see* Kuwabara S *et al*
Moll B *see* Welge-Luessen A *et al*
Molzer B *see* Fertl E *et al*
Montagna P *see* Inglese M *et al*
Moretti R *see* Zivadinov R *et al*
Morgan A *see* Wiles CM *et al*
Morgan PS *see* Wilson M *et al*
Mori M *see* Kuwabara S *et al*
see Sakakibara R *et al*
see Sonoda S *et al*
Moseley IF *see* Brex PA *et al*
Mostacciuolo ML *see* Fabrizi GM *et al*
Mouradian MS *et al.* Transient total tongue paralysis from simultaneous central and peripheral lesions: *lesson of the month*, **806**
Muir KW. Medical management of stroke: *Neurology in Practice*, **i12**
Muller-Oehring EM *see* Poggel DA *et al*
Mulligan LM *see* Gläsker S *et al*
Murali N *et al.* High psychiatric morbidity in patients with medically unexplained symptoms: *correspondence*, **708**
Murphy R *et al.* Effect of experience of severe stroke on subjective valuations of quality of life after stroke, **679**
Mutani R *see* Vigliani MC *et al*
Myllylä VV *see* Haapaniemi TH *et al*

Nagy Z *see* McShane RH *et al*
Nakamura-Uchiyama F *see* Osoegawa M *et al*
Nakasu S *et al.* Cerebral aneurysms associated with Behçet's disease: a case report, **682**
Napolitano M *see* Milea D *et al*
Nardone A *et al.* Stance control is not affected by paresis and reflex hyperexcitability: the case of spastic patients, **635**
Nasuelli D *see* Zivadinov R *et al*
Naumann M *see* Winterholler MGM *et al*
Nawa Y *see* Osoegawa M *et al*
Neal JW *see* Hillier CEM *et al*

Neary D *see* Snowden JS *et al*
Nelson DA, Landau WM. Intraspinal steroids: history, efficacy, accidentality, and controversy with review of United States Food and Drug Administration reports: *review*, **433**
Nemeth I *see* Klivenyi P *et al*
Neumann HPH *see* Gläsker S *et al*
Newcombe RG *see* Wiles CM *et al*
Newman PK *see* Wahid ST *et al*
Newsom-Davis J *see* Maddison P *et al*
Newton CRJC *see* Daroff RB *et al*
Nicholl DJ *et al.* Wilson's disease presenting in a family with an apparent dominant history of tremor: *lesson of the month*, **514**
Niebauer T *see* Rinkel GJE *et al*
Niknam RM *see* Rozen TD *et al*
Nonaka A *see* Kimura K *et al*
Nylander E *see* Kühme T *et al*

O'Brien JT *see* Thomas AJ *et al*
Ochi H *see* Kira J and Ochi H
see Osoegawa M *et al*
O'Connell JE *see* Scott JF *et al*
Odaka M *et al.* Anti-GQ1b IgG antibody syndrome: clinical and immunological range, **50**
Odebode TO *see* Oluwole OSA *et al*
Oechsner M *et al.* Reduction of striatal glucose metabolism in McLeod choreoacanthocytosis, **517**
Ogata A *see* Kamada K *et al*
Ogawara K *see* Kuwabara S *et al*
Okamoto K *see* Takenoshita H *et al*
Okazaki H *see* Wijdicks EFM *et al*
Okeda R *see* Kimura K *et al*
Oluwole OSA *et al.* Effect of lower limb position on ankle jerk assessment: *letter*, **266**
Onder G *see* Zuccalà G *et al*
Openshaw H. Eye movement abnormality associated with cyclosporin, **809**
Orbelo DM *see* Ross ED *et al*
O'Riordan JI *see* Brex PA *et al*
see Brex PA *et al*
Osoegawa M *et al.* Localised myelitis caused by visceral larva migrans due to *Ascaris suum* masquerading as an isolated spinal cord tumour: *letter*, **265**
Ostertag CB *see* Babel TB *et al*
Otero B *see* Fernández-Torre JL *et al*
Oudkerk M *see* de Leeuw F-E *et al*

Paley MNJ *see* Mitchell P *et al*
Pall HS *see* Nicholl DJ *et al*
Palmucci L *see* Vigliani MC *et al*
Panayiotopoulos CP *see* Rees JH *et al*
Papadimitriou A *see* Papapetropoulos S *et al*
Papapetropoulos S *et al.* Clinical phenotype in patients with α-synuclein Parkinson's disease living in Greece in comparison with patients with sporadic Parkinson's disease, **662**
Papapetropoulos T *see* Papapetropoulos S *et al*
Paradiso S *et al.* Impact of depressed mood on neuropsychological status in temporal lobe epilepsy, **180**
Parker GJM *see* Wieshmann UC *et al*
Paschalis C *see* Papapetropoulos S *et al*
Patterson K *see* Galton CJ *et al*
Paul G *see* Trottenberg T *et al*
Paulig M, Mentrup H. Charles Bonnet's syndrome: complete remission of complex visual hallucinations treated by gabapentin: *letter*, **813**
Paulson OB *see* Pinborg LH *et al*
Pazzaglia P *see* Stracciari A *et al*
Pearce JMS. Aphasia and Wernicke's arc, **699**
Aphasia or aphemia, **801**
Pearn J. Neurology of ciguatera: *review*, **4**
Pedone C *see* Zuccalà G *et al*
Perkin GD. Nosological entities?: *editorial*, **719**
Perry RH *see* Thomas AJ *et al*
Perry RJ *see* Calderon J *et al*
Petzold A *et al.* Recurrent ptosis: *correspondence*, **819**
Pezzella F *see* Prencipe M *et al*
Pfeiffer G *et al.* Disability and quality of life in Charcot-Marie-Tooth disease type 1, **548**
Phan TG *et al.* Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves: *correspondence*, **820**
Philibert B *see* Veuillet E *et al*
Piccinni M-P *see* Gestri D *et al*
Pickard JD *see* Schmidt EA *et al*
Pickersgill TP *see* Wiles CM *et al*
Piechnik SK *see* Schmidt EA *et al*
Pieh C *see* Lavin P *et al*
Pierrot-Deseilligny C *see* Milea D *et al*
Pietris G *see* Ravindran J *et al*
Pinborg LH *et al.* Benzodiazepine receptor quantification in Huntington's disease with [^{123}I]iomazenil and SPECT, **657**
Pini A *see* Fabrizi GM *et al*
Pisi P *see* Stracciari A *et al*
Plant GT *see* Brex PA *et al*
see Brex PA *et al*
see Petzold A *et al*
Pobereskin LH. Incidence and outcome of subarachnoid haemorrhage: a retrospective population based study, **340**
Poca MA *et al.* Shunt related changes in somatostatin, neuropeptide Y, and corticotropin releasing factor concentrations in patients with normal pressure hydrocephalus, **298**
Poggel DA *et al.* Unusual spontaneous and training induced visual field recovery in a patient with a gunshot lesion, **236**
Polkey CE *see* Hennessy MJ *et al*
Pollak L *et al.* Bilateral vestibular failure as a unique presenting sign in carcinomatous meningitis: case report: *letter*, **704**
Pollak P *see* Arnulf I *et al*
Polli C *see* Nicholl DJ *et al*
Polo P *see* Vigliani MC *et al*
Polster T *et al.* Transient lesion in the splenium of the corpus callosum: three further cases in epileptic patients and a pathophysiological hypothesis, **459**
Polymeropoulos MH *see* Papapetropoulos S *et al*
Ponsford JR, Brooks DJ. Treatment of early onset Parkinson's disease with ropinirole: *correspondence*, **418**
Porta M *et al.* Treatment of sialorrhoea with ultrasound guided botulinum toxin type A injection in patients with neurological disorders, **538**
Powell J *see* Ralph MAL *et al*
Powell T *see* Mitchell P *et al*
Pozzi-Mucelli RS *see* Zivadinov R *et al*
Prayer D *see* Bertalanffy A *et al*
Prencipe M *et al.* Prevalence of headache in an elderly population: attack frequency, disability, and use of medication, **377**
Price C *see* Gorno-Tempini M-L *et al*
Prosser J *see* Barnett M *et al*
Puopolo M *see* Cappa A *et al*
Pursiainen V *see* Haapaniemi TH *et al*

Quinn N *see* Siderowf AD *et al*
Quinn NP *see* McAuley JH *et al*
Quint C *see* Welge-Luessen A *et al*
Quirk K *see* Wilson BA *et al*

Rabe-Hesketh S *see* Hennessy MJ *et al*
Rabey MJ *see* Pollak L *et al*
Racke MK *see* Frohman EM *et al*
Radtke A *et al.* Paroxysmal alternating skew deviation and nystagmus after partial destruction of the uvula, **790**
Radue E-W *see* Leppert D and Radue E-W
Raethjen J *et al.* Amitriptyline enhances the central component of physiological tremor, **78**
Rahkonen T *see* Meagher D *et al*
Ralph MAL *et al.* Semantic memory is impaired in both dementia with Lewy bodies and dementia of Alzheimer's type: a comparative neuropsychological study and literature review, **149**
Ramos LMP *see* de Leeuw F-E *et al*
Rasch T *see* Cohrs S *et al*
Rascol O *see* Arnulf I *et al*
Ratusinski T *see* Pfeiffer G *et al*
Ravindran J *et al.* Visual field loss associated with vigabatrin: pathological correlations, **787**
Rees JH *et al.* Primary diffuse leptomeningeal gliomatosis simulating tuberculous meningitis, **120**
Rehman S *see* Murali N *et al*
Reinges MHT *see* Krings T *et al*
Revesz T *see* Rees JH *et al*
Rey M *see* Gelisse P *et al*
Reynolds EH *see* Widner B *et al*
Rigatelli F *see* Fabrizi GM *et al*
Rinalduzzi S *et al.* Variation of visual evoked potential delay to stimulation of central, nasal, and temporal regions of the macula in optic neuritis, **28**
Rinkel GJE *et al.* Long term follow up after perimesencephalic subarachnoid haemorrhage: *correspondence*, **419**
Rizzuto N *see* Fabrizi GM *et al*
Robinson GM *see* Scott JF *et al*
Robinson RG *see* Paradiso S *et al*
Roessler K *see* Bertalanffy A *et al*
Roh J-K *see* Kang D-W *et al*
Rohde V *see* Krings T *et al*
Romanowski C *see* Mitchell P *et al*
Ron MA. Imaging counterparts of cognitive decline in multiple sclerosis: *commentary*, **721**
Rønning OM *et al.* The benefit of an acute stroke unit in patients with intracranial haemorrhage: a controlled trial, **631**
Roques CF *see* Marque P *et al*
Ross ED *et al.* Affective-prosodic deficits in schizophrenia: profiles of patients with brain damage and comparison with relation to schizophrenic symptoms, **597**
Rossol S *see* Fassbender K *et al*
Rostène W *see* Schimpff R-M *et al*
Rothenberger A *see* Cohrs S *et al*
Rothwell JC *see* McAuley JH *et al*

Rouanet M *see* Lagueny A *et al*
Rovaris M *see* Inglese M *et al*
see Sormani MP *et al*
Rozen TD *et al.* Cluster headache in women: clinical characteristics and comparison with cluster headache in men, **613**
Rozsa C *see* Klivenyi P *et al*
Rudge P *see* Gorno-Tempini M-L *et al*
see Radtke A *et al*
Rugg-Gunn FJ *et al.* Diffusion imaging shows abnormalities after blunt head trauma when conventional magnetic resonance imaging is normal, **530**
Rustenbeck HH *see* Kuhlmann T *et al*
Ruther E *see* Cohrs S *et al*

Sabel BA *see* Poggel DA *et al*
Sachdev P. The psychoses of epilepsy: *correspondence*, **708**
Sackley CM *see* Murphy R *et al*
Saffer D *see* Modi G *et al*
Sahakian BJ *see* Galton CJ *et al*
Sahuquillo J *see* Poca MA *et al*
Saito Y *see* Irioka T *et al*
Sakakibara R *et al.* Unilateral caudate head lesion simulating brain tumour in X-linked adult onset adrenoleukodystrophy: *letter*, **414**
Saling M *see* Wilson S *et al*
Salmaggi A *see* Milanese C *et al*
Salvi F *see* Inglese M *et al*
Samuelian JC *see* Gelisse P *et al*
Sánchez-Guerra M *et al.* The Glu298Asp polymorphism in the NOS3 gene is not associated with sporadic Alzheimer's disease: *letter*, **566**
Sanden U, Hildebrandt G. Preoperative and postoperative imaging of an aneurysm of the middle cerebral artery with transcranial duplex sonography, **810**
Sander JWAS *see* Johnson MR *et al*
see Johnson MR *et al*
Santini M *see* Prencipe M *et al*
Scaldaferri N *see* Prencipe M *et al*
Scarabin JM *see* Biraben A *et al*
Scheltens P *see* Galton CJ *et al*
Schick U *see* Rinkel GJE *et al*
Schielke E *see* Holtkamp M *et al*
Schieppati M *see* Nardone A *et al*
Schiffer D *see* Vigliani MC *et al*
Schimpff R-M *et al.* Increased plasma neurotensin concentrations in patients with Parkinson's disease, **784**
Schmeck J *see* Fassbender K *et al*
Schmidt EA *et al.* Preliminary experience of the estimation of cerebral perfusion pressure using transcranial Doppler ultrasonography, **198**
Schmiedek P *see* Fassbender K *et al*
Schmitt L *see* Pfeiffer G *et al*
Schmitz B *see* Grosse P *et al*
Schrader H *see* Ferrari R and Schrader H
Schrag A *see* Siderowf AD *et al*
Schröter A *see* Kuhlmann T *et al*
see Mavrogiorgou P *et al*
Schütt S *see* Fassbender K *et al*
Schwager K *see* Winterholler MGM *et al*
Scott JF *et al.* Blood pressure response to glucose potassium insulin therapy in patients with acute stroke with mild to moderate hyperglycaemia, **401**
Selai CE *see* Siderowf AD *et al*
Sepcic J *see* Zivadinov R *et al*
Shapira E *see* Pollak L *et al*
Sharma JC *et al.* How well does the Oxfordshire Community Stroke Project classification predict the site and size of infarct of brain imaging?: *correspondence*, **567**
Sharma PSVN *see* Murali N *et al*
Shaw S *see* Wiles CM *et al*
Shechter AL *see* Rozen TD *et al*
Sheen V *see* Bernath O *et al*
Shembalkar P *et al.* Neuropathic pain with vesical and rectal hyperreflexia and cocontraction after pelvic surgery: *letter*, **410**
Shimokawa R *see* Kimura K *et al*
Shin RK *et al.* Peripheral nerve ischaemia after internal iliac artery ligation: *letter*, **411**
Shizuka-Ikeda M *see* Takenoshita H *et al*
Shoji H *see* Zhou G *et al*
Shoji M *see* Takenoshita H *et al*
Shorvon S The management of status epilepticus: *Neurology in Practice*, **ii22**
Shorvon SD *see* Wieshmann UC *et al*
Shuaib A *see* Mouradian MS *et al*
Siderowf AD *et al.* The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease: *correspondence*, **817**
Sieb JP *see* Petzold A *et al*
Silberstein SD *see* Rozen TD *et al*
Simonati A *see* Fabrizi GM *et al*
Simonetta-Moreau M *see* Marque P *et al*
Sjögren M *et al.* Both total and phosphorylated tau are increased in Alzheimer's disease, **624**
Slomine BS *see* Grados MA *et al*
Smith AD *see* McShane RH *et al*
Smith D and Chadwick D The management of epilepsy: *Neurology in Practice*, **ii15**
see Adab N *et al*
Smith PEM. If it's not epilepsy...: *Neurology in Practice*, **ii9**
Snowden JS *et al.* Distinct behavioural profiles in frontotemporal dementia and semantic dementia, **323**
Sobue G *see* Watanabe H *et al*
Sohn EH *see* Kim J *et al*
Söllner O *see* Grosse P *et al*
Song IC *see* Kang D-W *et al*
Song S-Y *see* Takenoshita H *et al*
Sonoda S *et al.* Pattern of localisation error in patients with stroke to sound processed by a binaural sound space processor, **43**
Sørensen SA *see* Pinborg LH *et al*
Sörös P *see* Lüdemann P *et al*
Sormani MP *et al.* Clinical trials of multiple sclerosis monitored with enhanced MRI: new sample size calculations based on large data sets, **494**
Sotaniemi KA *see* Haapaniemi TH *et al*
Soustiel JF *see* Chistyakov AV *et al*
Sperner-Unterweger B *see* Widner B *et al*
Spetzger U *see* Krings T *et al*
Stam J *see* de Bruijn SFTM *et al*
Stavem K *see* Rønning OM *et al*
Stecker MM *see* Shin RK *et al*
Stevens JM *see* Appenzeller O *et al*
see Radtke A *et al*
Stewart GE *see* Green AJE *et al*
Stolze H *et al.* Comparative analysis of the gait disorder of normal pressure hydrocephalus and Parkinson's disease, **289**
Stone J *et al.* Scleroderma "en coup de sabre": pathological evidence of intracerebral inflammation, **382**
Stracciari A *et al.* Acquired hepatocerebral degeneration: full recovery after liver transplantation: *letter*, **136**
Strain L *see* Kovács GG *et al*
Sulkava R *see* Meagher D *et al*
Sullivan N *see* McShane RH *et al*
Sutton I *see* Barnett M *et al*
Symms MR *see* Rugg-Gunn FJ *et al*
see Wieshmann UC *et al*
Synowitz H *see* Herrmann M *et al*
Szirmai I *see* Kovács GG *et al*

Taioli F *see* Fabrizi GM *et al*
Taiuti R *see* Gestri D *et al*
Tajima Y *et al.* A case of malignant lymphoma exhibiting multiple cranial nerve enhancement: leptomeningeal metastasis? Or another lymphoma associated event?: *letter*, **565**
Takeda A *see* Watanabe H *et al*
Takenoshita H *et al.* Presynaptic inhibition of cerebellar GABAergic transmission by glutamate decarboxylase autoantibodies in progressive cerebellar ataxia, **386**
Takeuchi F *see* Kamada K *et al*
Tanaka M *see* Takenoshita H *et al*
Tarlaci S *see* Uludag B *et al*
Taschner C *see* Trottenberg T *et al*
Tashiro H *see* Kimura K *et al*
Tashiro J *see* Tajima Y *et al*
Tashiro K *see* Kamada K *et al*
Taussig D *see* Biraben A *et al*
Taylor MC *et al.* Zeta class glutathione transferase polymorphisms and Parkinson's disease: *letter*, **407**
Taylor W *see* Radtke A *et al*
Temmel A *see* Welge-Luessen A *et al*
Tennezé L *see* Schimpff R-M *et al*
Testa JA *see* Ross ED *et al*
Thobois S *see* Giraud P *et al*
Thomas AJ *et al.* A neuropathological study of vascular factors in late-life depression, **83**
Thomas FJ *et al.* Azathioprine treatment in multiple sclerosis; pretreatment assessment of metaboliser status: *letter*, **815**
Thomas P *see* Biraben A *et al*
see Gelisse P *et al*
Thompson AJ *see* Brex PA *et al*
see Brex PA *et al*
see Freeman JA and Thompson AJ
Thompson EJ *see* Green AJE *et al*
Thron A *see* Krings T *et al*
Tigges P *see* Mavrogiorgou P *et al*
Tillich M *see* Trummer M *et al*
Tintelnot K *see* Grosse P *et al*
Tolosa E *see* Alegret M *et al*
Tommasi MA *see* Zivadinov R *et al*
toral JF *see* Fernández-Torre JL *et al*
Tournier-Lasserve E *see* Bousser M-G and Tournier-Lasserve E
Townend W. Relation between Glasgow outcome score extended (GOSE) and the EQ-5D health status questionnaire after head injury: *correspondence*, **267**
Toyka KV *see* Winterholler MGM *et al*
Trenkwalder C *see* Krause M *et al*

Tronnier V *see* Krause M *et al*
Trottenberg T *et al.* Pallidal and thalamic neurostimulation in severe tardive dystonia, **557**
Trubnik M *see* Chistyakov AV *et al*
Trummer M *et al.* Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
Tsiskaridze A *see* de Freitas GR *et al*
Tsuji T *see* Kanemoto K *et al*
Tullberg M *see* Sjögren M *et al*
Turi S *see* Klivenyi P *et al*
Turner BP *see* Wilson M *et al*
Turner MR, Macleod WN. Widespread cerebral cavernous haemangiomata found after 24 years of intermittent symptoms, **404**
Turpin J *see* Baumann N *et al*

Ukmar M *see* Zivadinov R *et al*
Uludag B *et al.* A transient dysfunction of the neuromuscular junction due to carbendazim intoxication: *letter,* **563**
Unger F *see* Trummer M *et al*
Unterberg A *see* Holtkamp M *et al*

Vaj P *see* Porta M *et al*
Vajkoczy P *see* Fassbender K *et al*
Valldeoriola F *see* Alegret M *et al*
Vandenberghe A *see* Lagueny A *et al*
van der Grond J *see* van Everdingen KJ *et al*
van der Meché FGA *see* Koga M *et al*
Vanderstichele H *see* Sjögren M *et al*
van Doorn PA *see* Koga M *et al*
van Engelen BGM *see* Hengstman GJD *et al*
van Everdingen KJ *et al.* Clinical features associated with internal carotid artery occlusion do not correlate with MRA cerebropetal flow measurements, **333**
van Gijn J *see* de Leeuw F-E *et al*
Vanmechelen E *see* Sjögren M *et al*
van Velthoven V *see* Gläsker S *et al*
van Venrooij WJ *see* Hengstman GJD *et al*
van Weely S *see* Baumann N *et al*
Varma A *see* Snowden JS *et al*
Vasa R *see* Grados MA *et al*
Vass C *see* Fertl E *et al*
Vass K *see* Fertl E *et al*
Vecsei L *see* Klivenyi P *et al*
Velthuis BK *see* Rinkel GJE *et al*
Vendrell P *see* Alegret M *et al*
Vercueil L, Klinger H. Loss of silent reading in frontotemporal dementia: unmasking the inner speech: *letter,* **705**
Vergelli M *see* Gestri D *et al*
Veuillet E *et al.* Abnormal peripheral auditory asymmetry in schizophrenia, **88**
Vidailhet M *see* Arnulf I *et al*
see Schimpff R-M *et al*
Videbæk C *see* Pinborg LH *et al*
Vigliani MC *et al.* Paraneoplastic opsoclonus-myoclonus associated with renal cell carcinoma and responsive to tumour ablation: *letter,* **814**
Vignal JP *see* Biraben A *et al*
Villa G *see* Cappa A *et al*
Vital A *see* Lagueny A *et al*
Vital C *see* Lagueny A *et al*

Waddy H *see* Ravindran J *et al*
Wagner A *see* Pinborg LH *et al*
Wahid ST *et al.* Meningoencephalitis after streptokinase treatment : *letter,* **132**
Walker MF *et al.* Randomised controlled trial of occupational therapy at home: results at 1 year: *letter,* **267**
Walker S *see* Appenzeller O *et al*
Wallin A *see* Sjögren M *et al*
Wardlaw JM *see* Sharma JC *et al*
Wardlaw JM. Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study: the Rotterdam Scan Study: *commentary,* **2**
Radiology of stroke: *Neurology in Practice,* **i7**
Warlow CP *see* Sharma JC *et al*
Warnke PC *see* Babel TB *et al*
Watanabe H *et al.* Cardiac ^{123}I-meta-iodobenzylguanidine (MIBG) uptake in dementia with Lewy bodies: comparison with Alzheimer's disease, **781**
Watanabe Y *see* Kanemoto K *et al*
Weber F *see* Kuhlmann T *et al*
Weber JR *see* Holtkamp M *et al*
Weißenborn K *see* Wilkening A *et al*
Welge-Luessen A *et al.* Olfactory function in patients with olfactory groove meningioma, **218**
Wenman R *see* Gorno-Tempini M-L *et al*
Wenzelburger R *see* Raethjen J *et al*
Werner RM *see* Siderowf AD *et al*
White N *see* Daroff RB *et al*
Whitfield PC *see* Schmidt EA *et al*
Wicklein EM *see* Pfeiffer G *et al*
Widner B *et al.* Does disturbed homocysteine and folate metabolism in depression result from enhanced oxidative stress?: *correspondence,* **419**
Wieshmann UC *et al.* Combined functional magnetic resonance imaging and diffusion tensor imaging demonstrate widespread modified organisation in malformation of cortical development, **521**
Wijdicks EFM *see* Phan TG *et al*
Wijdicks EFM *et al.* Isolated medulla oblongata function after severe traumatic brain injury, **127**
Wikkelso C *see* Sjögren M *et al*
Wiles CM *et al.* Controlled randomised crossover trial of the effects of physiotherapy on mobility in chronic multiple sclerosis, **174**
Wilkening A *see* Windhagen A *et al*
Wilkening A *et al.* Unusual presentation of a primary spinal Burkitt's lymphoma, **794**
Wilkinson ID *see* Mitchell P *et al*
Will RG *see* Green AJE *et al*
Williams NS *see* Shembalkar P *et al*
Willmes K *see* Krings T *et al*
Wilson BA *et al.* Reducing everyday memory and planning problems by means of a paging system: a randomised control crossover study, **477**
Wilson M *et al.* Quantitative diffusion weighted magnetic resonance imaging, cerebral atrophy, and disability in multiple sclerosis, **318**
Wilson S *et al.* The "burden of normality": concepts of adjustment after surgery for seizures, **649**
Wilson SM *et al.* Upholsterer's PIN: *letter,* **706**
Windhagen A *et al.* Lymphadenopathy in patients with multiple sclerosis undergoing treatment with glatiramer acetate: *letter,* **415**
Winterholler MGM *et al.* Botulinum toxin for the treatment of sialorrhoea in ALS: serious side effects of a transductal approach: *correspondence,* **417**
Wolf S *see* Welge-Luessen A *et al*
see Winterholler MGM *et al*
Wooten GF *see* Holroyd S *et al*
Wozniak MA *see* Lin W-R *et al*
Wren DR *see* Phan TG *et al*

Xie J *see* Arnulf I *et al*

Yaginuma M *see* Kimura K *et al*
Yaguchi M *see* Takenoshita H *et al*
Yamada M *see* Irioka T *et al*
see Irioka T *et al*
see Kimura K *et al*
Yamada S *see* Zhou G *et al*
Yamasaki K *see* Osoegawa M *et al*
Yamawaki M *see* Irioka T *et al*
Yoon B-W *see* Kang D-W *et al*
Young WB *see* Rozen TD *et al*
Yuceyar N *see* Ertekin C *et al*
see Uludag B *et al*
Yuki N *see* Koga M *et al*
see Kuwabara S *et al*
see Odaka M *et al*
Yun JH *see* Kim J *et al*

Zambito-Marsala S *see* Zivadinov R *et al*
Zaudig M *see* Mavrogiorgou P *et al*
Zeidler M *see* Green AJE *et al*
Zentner J *see* Gläsker S *et al*
Zhou G *et al.* Platelet monoamine oxidase B and plasma β-phenylethylamine in Parkinson's disease, **229**
Zivadinov R *et al.* A longitudinal study of brain atrophy and cognitive disturbances in the early phase of relapsing-remitting multiple sclerosis, **773**
Zorzon M *see* Zivadinov R *et al*
Zuccalà G *et al.* Cognitive dysfunction as a major determinant of disability in patients with heart failure: results from a multicentre survey, **109**

VOLUME 70 • SUBJECT INDEX

A117V mutation, Inherited prion disease with A117V mutation of the prion protein gene: a novel Hungarian family, **802**
acanthocytosis, Reduction of striatal glucose metabolism in McLeod choreoacanthocytosis, **517**
acquired neuromyotonia, Volitional and stimulation induced neuromyotonic discharges: unusual electrophysiological pattern in acquired neuromyotonia: *letter,* **406**
activities of daily living, Randomised controlled trial of occupational therapy at home: results at 1 year: *letter,* **267**
acute autonomic and sensory neuropathy, Acute autonomic and sensory neuropathy after interferon α-2b therapy for chronic hepatitis C: *letter,* **408**
acute disseminated encephalomyelitis, Demyelinating disorder of the central nervous system occurring in black South Africans, **500**
acute motor axonal neuropathy, Indicators of rapid clinical recovery in Guillain-Barré syndrome, **560**
adrenomyeloneuropathy, Unilateral caudate head lesion simulating brain tumour in X-linked adult onset adrenoleukodystrophy: *letter,* **414**
affective prosody, Affective-prosodic deficits in schizophrenia: profiles of patients with brain damage and comparison with relation to schizophrenic symptoms, **597**
agnosia, Pattern of localisation error in patients with stroke to sound processed by a binaural sound space processor, **43**
allodynia, Allodynia: a sensory analogue of motor mirror neurons in a hyperaesthetic patient reporting instantaneous discomfort to another's perceived sudden minor injury?: *letter,* **135**
ALSAQ-40, Reduced item set for the amyotrophic lateral sclerosis assessment questionnaire: development and validation of the ALSAQ-5, **70**
ALSAQ-5, Reduced item set for the amyotrophic lateral sclerosis assessment questionnaire: development and validation of the ALSAQ-5, **70**
Alzheimer's disease, Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology, **739**
Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology: *commentary,* **720**
Brain perfusion abnormalities in Alzheimer's disease: comparison between patients with focal temporal lobe dysfunction and patients with diffuse cognitive impairment, **22**
Cardiac ^{123}I-meta-iodobenzylguanidine (MIBG) uptake in dementia with Lewy bodies: comparison with Alzheimer's disease, **781**
Comparative neuropsychology of Lewy body and Alzheimer's dementia: *commentary,* **148**
Herpes simplex encephalitis: involvement of apolipoprotein E genotype, **117**
Pentagon copying is more impaired in dementia with Lewy bodies than in Alzheimer's disease, **483**
Perception, attention, and working memory are disproportionately impaired in dementia with Lewy bodies compared with Alzheimer's disease, **157**
Structural imaging in the clinical diagnosis of Alzheimer's disease: problems and tools: *editorial,* **711**
Temporal lobe rating scale: application to Alzheimer's disease and frontotemporal dementia, **165**
The Glu298Asp polymorphism in the NOS3 gene is not associated with sporadic Alzheimer's disease: *letter,* **566**
ambulatory EEG monitoring, Assessment and investigation of possible epileptic seizures: *Neurology in Practice,* **ii3**
amyloid plaque, Inherited prion disease with A117V mutation of the prion protein gene: a novel Hungarian family, **802**
amyotrophic lateral sclerosis, Botulinum toxin for the treatment of sialorrhoea in ALS: serious side effects of a transductal approach: *correspondence,* **417**
amyotrophic lateral sclerosis specific measure, Reduced item set for the amyotrophic lateral sclerosis assessment questionnaire: development and validation of the ALSAQ-5, **70**
aneurysm, Preoperative and postoperative imaging of an aneurysm of the middle cerebral artery with transcranial duplex sonography, **810**
ankle jerk, Effect of lower limb position on ankle jerk assessment: *letter,* **266**
anticardolipin antibodies, Idiopathic intracranial hypertension and anticardolipin antibodies: *correspondence,* **420**
anticoagulation, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves: *correspondence,* **820**
Medial medullary syndrome due to vertebral artery dissection, **130**
anticonvulsant drugs, Transient lesion in the splenium of the corpus callosum: three further cases in epileptic patients and a pathophysiological hypothesis, **459**
antiepileptic drugs The management of epilepsy: *Neurology in Practice,* **ii15**
The management of status epilepticus: *Neurology in Practice,* **ii22**
anti-GM1 antibody, Indicators of rapid clinical recovery in Guillain-Barré syndrome, **560**
anti-GQ1b IgG antibody, Anti-GQ1b IgG antibody syndrome: clinical and immunological range, **50**
anti-Ma2 antibody, Paraneoplastic brain stem encephalitis in a woman with anti-Ma2 antibody, **222**
antiplatelet treatment, Medical management of stroke: *Neurology in Practice,* **ii12**
aphasia, Affective-prosodic deficits in schizophrenia: profiles of patients with brain damage and comparison with relation to schizophrenic symptoms, **597**
Aphasia and Wernicke's arc, **699**
Aphasia or aphemia, **801**
aphemia, Aphasia or aphemia, **801**
apnoea test, Isolated medulla oblongata function after severe traumatic brain injury, **127**
apolipoprotein E, Herpes simplex encephalitis: involvement of apolipoprotein E genotype, **117**
The Glu298Asp polymorphism in the NOS3 gene is not associated with sporadic Alzheimer's disease: *letter,* **566**
argipressine, Transient lesion in the splenium of the corpus callosum: three further cases in epileptic patients and a pathophysiological hypothesis, **459**
Arnold Chiari malformation, Arnold Chiari malformation and nystagmus of skew: *correspondence,* **416**
Ascaris suum, Localised myelitis caused by visceral larva migrans due to *Ascaris suum* masquerading as an isolated spinal cord tumour: *letter,* **265**
asymmetry, Abnormal peripheral auditory asymmetry in schizophrenia, **88**
ataxia, X-linked sideroblastic anaemia with ataxia: another mitochondrial disease?, **65**
atopy, Juvenile muscular atrophy of the distal upper limb (Hirayama disease) associated with atopy, **798**
atrial fibrillation, Atrial fibrillation with small subcortical infarcts, **344**
attentional, Perception, attention, and working memory are disproportionately impaired in dementia with Lewy bodies compared with Alzheimer's disease, **157**
auditory processing, Abnormal peripheral auditory asymmetry in schizophrenia, **88**
autoimmune, Hashimoto's encephalopathy responding to plasmapheresis: *letter,* **132**
autonomic nervous system, Ambulatory ECG and analysis of heart rate variability in Parkinson's disease, **305**
Neurology in ancient faces, **524**
autonomic symptoms, Cluster headache in women: clinical characteristics and comparison with cluster headache in men, **613**
azathioprine, Azathioprine and interferon β-1b treatment in relapsing-remitting multiple sclerosis: *letter,* **413**
azathioprine metabolism, Azathioprine treatment in multiple sclerosis; pretreatment assessment of metaboliser status: *letter,* **815**

Babinski, "The other" Babinski's sign: paradoxical raising of the eyebrow in hemifacial spasm: *editorial,* **516**
Balint's syndrome, Neurovisual rehabilitation in Balint's syndrome: *correspondence,* **416**
basal ganglia, Obsessive-compulsive symptoms in Parkinson's disease, **394**
basilar impression, Significance of atypical presentation of symptomatic SUNCT: a case report, **244**
behaviour, Distinct behavioural profiles in frontotemporal dementia and semantic dementia, **323**
Behçet's disease, Cerebral aneurysms associated with Behçet's disease: a case report, **682**
benzodiazepine receptor, Benzodiazepine receptor quantification in Huntington's disease with [^{123}I]iomazenil and SPECT, **657**
Bickerstaff's brain stem encephalitis, Anti-GQ1b IgG antibody syndrome: clinical and immunological range, **50**
bilateral gaze palsy, Complete bilateral horizontal gaze paralysis disclosing multiple sclerosis, **252**
bilateral vestibular loss, Bilateral vestibular failure as a unique presenting sign in carcinomatous meningitis: case report: *letter,* **704**
biopsychosocial, The late whiplash syndrome: a biopsychosocial approach: *review,* **722**
Black South African, Demyelinating disorder of the central nervous system occurring in black South Africans, **500**
blood pressure, Blood pressure response to glucose potassium insulin therapy in patients with acute stroke with mild to moderate hyperglycaemia, **401**
body sway, Stance control is not affected by paresis and reflex hyperexcitability: the case of spastic patients, **635**
bone marrow transplantation, Eye movement abnormality associated with cyclosporin, **809**

botulinum toxin A, Botulinum toxin for the treatment of sialorrhoea in ALS: serious side effects of a transductal approach: *correspondence,* **417**
Treatment of sialorrhoea with ultrasound guided botulinum toxin type A injection in patients with neurological disorders, **538**
brain atrophy, A longitudinal study of brain atrophy and cognitive disturbances in the early phase of relapsing-remitting multiple sclerosis, **773**
brain death, Isolated medulla oblongata function after severe traumatic brain injury, **127**
brain imaging, How well does the Oxfordshire Community Stroke Project classification predict the site and size of infarct of brain imaging?: *correspondence,* **567**
brain injury, Reducing everyday memory and planning problems by means of a paging system: a randomised control crossover study, **477**
Return to driving after head injury, **761**
brain oedema, Transient lesion in the splenium of the corpus callosum: three further cases in epileptic patients and a pathophysiological hypothesis, **459**
brain plasticity, Acute functional reorganisation of the human motor cortex during resection of central lesions: a study using intraoperative brain mapping, **506**
brain stem infarction, Medial medullary syndrome due to vertebral artery dissection, **130**
brain stem encephalitis, Paraneoplastic brain stem encephalitis in a woman with anti-Ma2 antibody, **222**

CADASIL, Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: from stroke to vessel wall physiology: *editorial,* **285**
cadaveric dura mater graft, Atypical form of dural graft associated Creutzfeldt-Jakob disease: report of a postmortem case with review of the literature, **696**
Campylobacter jejuni, Comparative study of preceding *Campylobacter jejuni* infection in Guillain-Barré syndrome in Japan and The Netherlands, **693**
carbamate, A transient dysfunction of the neuromuscular junction due to carbendazim intoxication: *letter,* **563**
carbendazim, A transient dysfunction of the neuromuscular junction due to carbendazim intoxication: *letter,* **563**
carcinomatous meningitis, Bilateral vestibular failure as a unique presenting sign in carcinomatous meningitis: case report: *letter,* **704**
cardioembolic infarcts, Atrial fibrillation with small subcortical infarcts, **344**
cardioembolic stroke, Massive haemorrhagic transformation in cardioembolic stroke: the role of arterial wall trauma and dissection, **672**
caudate head lesion, Unilateral caudate head lesion simulating brain tumour in X-linked adult onset adrenoleukodystrophy: *letter,* **414**
central drive, Amitriptyline enhances the central component of physiological tremor, **78**
central nervous system, Electrophysiological evaluation of oropharyngeal swallowing in myotonic dystrophy, **363**
central nervous system inflammation, Scleroderma "en coup de sabre": pathological evidence of intracerebral inflammation, **382**
central neurocytoma, Gamma knife radiosurgery of recurrent central neurocytomas: a preliminary report, **489**
cerebellar ataxia, Presynaptic inhibition of cerebellar GABAergic transmission by glutamate decarboxylase autoantibodies in progressive cerebellar ataxia, **386**
cerebral aneurysm, Cerebral aneurysms associated with Behçet's disease: a case report, **682**
cerebral blood flow, Inflammatory cytokines in subarachnoid haemorrhage: association with abnormal blood flow velocities in basal cerebral arteries, **534**
cerebral haemodynamics, Clinical features associated with internal carotid artery occlusion do not correlate with MRA cerebropetal flow measurements, **333**
cerebral hyperfusion, Postictal psychosis related regional cerebral hyperfusion: *correspondence,* **137**
cerebral infarction, Hemicraniectomy in elderly patients with space occupying media infarction: improved survival but poor functional outcome, **226**
cerebral ischaemia, Inflammatory cytokines in subarachnoid haemorrhage: association with abnormal blood flow velocities in basal cerebral arteries, **534**
cerebral malaria, Cerebral malaria: *correspondence,* **817**
cerebral oxygenation, Increased jugular bulb saturation is associated with poor outcome in traumatic brain injury, **101**
cerebral perfusion pressure, Preliminary experience of the estimation of cerebral perfusion pressure using transcranial Doppler ultrasonography, **198**
cerebrospinal fluid, Both total and phosphorylated tau are increased in Alzheimer's disease, **624**
Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system, **767**
cerebrovascular diseases, Massive haemorrhagic transformation in cardioembolic stroke: the role of arterial wall trauma and dissection, **672**
Neurology in practice: cerebrovascular disease: *Neurology in Practice,* **i1**
cerebrovascular disorders, Effect of experience of severe stroke on subjective valuations of quality of life after stroke, **679**
Pattern of localisation error in patients with stroke to sound processed by a binaural sound space processor, **43**
Charcot-Marie-Tooth disease, De novo partial duplication of 17p associated with Charcot-Marie-Tooth disease type 1A: *letter,* **703**
Charcot-Marie-Tooth disease type 1, Disability and quality of life in Charcot-Marie-Tooth disease type 1, **548**
Charcot-Marie-Tooth type1B, Mild recurrent neuropathy in CMT1B with a novel nonsense mutation in the extracellular domain of the MPZ gene, **232**
Charles Bonnet's syndrome, Charles Bonnet's syndrome: complete remission of complex visual hallucinations treated by gabapentin: *letter,* **813**
Chiari malformation, Acute deterioration in Chiari type 1 malformation after chiropractic cervical manipulation: *letter,* **816**
chiropractic manipulation, Acute deterioration in Chiari type 1 malformation after chiropractic cervical manipulation: *letter,* **816**
cholecystokinin, Blockade of cholecystokinin-A receptors has no effect on dyskinesias in Parkinson's disease: *letter,* **812**
chorea, Reduction of striatal glucose metabolism in McLeod choreoacanthocytosis, **517**
ciguatera, Neurology of ciguatera: *review,* **4**
cingulate motor area, The cingulate hidden hand: *letter,* **264**
clinical features, Clinical features and prognostic factors of cerebral venous sinus thrombosis in a prospective series of 59 patients, **105**
clinical paleoneurology, Neurology in ancient faces, **524**
clinical trial, Multiple sclerosis treatment trial precipitates divorce: *letter,* **135**
clinically isolated syndromes, Assessing the risk of early multiple sclerosis in patients with clinically isolated syndromes: the role of a follow up MRI, **390**
Measurement of spinal cord area in clinically isolated syndromes suggestive of multiple sclerosis, **544**
cluster headache, Cluster headache in women: clinical characteristics and comparison with cluster headache in men, **613**
CNS lymphoma, Diagnosis of a multifocal B cell lymphoma with preceding demyelinating central nervous system lesions by single voxel proton MR spectroscopy, **259**
CNS oscillation, Levodopa reversible loss of the Piper frequency oscillation component in Parkinson's disease, **471**
codon 129, Creutzfeldt-Jakob disease in a young person with valine homozygosity at codon 129: sporadic or variant?: *letter,* **134**
cognition, Dementia as a complication of schizophrenia, **588**
cognitive decline, Imaging counterparts of cognitive decline in multiple sclerosis: *commentary,* **721**
cognitive dysfunction, A longitudinal study of brain atrophy and cognitive disturbances in the early phase of relapsing-remitting multiple sclerosis, **773**
cognitive impairment, Acquired hepatocerebral degeneration: full recovery after liver transplantation: *letter,* **136**
complications, Botulinum toxin for the treatment of sialorrhoea in ALS: serious side effects of a transductal approach: *correspondence,* **417**
computed tomography, Radiology of stroke: *Neurology in Practice,* **i7**
Structural imaging in the clinical diagnosis of Alzheimer's disease: problems and tools: *editorial,* **711**
congenital hypomyelination neuropathy, PMP22 related congenital hypomyelination neuropathy, **123**
consensus criteria, Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology, **739**
contrapulsion, Ocular contrapulsion in multiple sclerosis: clinical features and pathophysiological mechanisms, **688**
controlled trial, Controlled randomised crossover trial of the effects of physiotherapy on mobility in chronic multiple sclerosis, **174**
copaxone, Lymphadenopathy in patients with multiple sclerosis undergoing treatment with glatiramer acetate: *letter,* **415**
corpus callosum, Transient lesion in the splenium of the corpus callosum: three further cases in epileptic patients and a pathophysiological hypothesis, **459**
cortical mapping, The cingulate hidden hand: *letter,* **264**
corticosteroids, Anti-Jo-1 positive inclusion body myositis with a marked and sustained clinical improvement after oral prednisone: *letter,* **706**
cosmetic surgery, Infarction and shrinkage of a meningioma after extensive cosmetic surgery, **405**
cranial neuropathy, A case of malignant lymphoma exhibiting multiple cranial nerve enhancement: leptomeningeal metastasis? Or another lymphoma associated event?: *letter,* **565**
Creutzfeldt-Jakob disease, Atypical form of dural graft associated Creutzfeldt-Jakob disease: report of a postmortem case with review of the literature, **696**
Creutzfeldt-Jakob disease in a young person with valine homozygosity at codon 129: sporadic or variant?: *letter,* **134**
cryptococcosis, Encephalomyelitis due to *Cryptococcus neoformans* var *gattii* presenting as spinal tumour: case report and review of the literature, **113**

***Cryptococcus neoformans*,** Encephalomyelitis due to *Cryptococcus neoformans* var *gattii* presenting as spinal tumour: case report and review of the literature, **113**
cyclosporin, Eye movement abnormality associated with cyclosporin, **809**

deep brain stimulation, Deep brain stimulation for the treatment of Parkinson's disease: subthalamic nucleus versus globus pallidus internus, **464**
Dejerine-Sottas syndrome, PMP22 related congenital hypomyelination neuropathy, **123**
delirium, Delirium episode as a sign of undetected dementia among community dwelling elderly subjects: *correspondence*, **821**
delusions, Prospective study of hallucinations and delusions in Parkinson's disease, **734**
dementia, Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology: *commentary*, **720**
Cognitive dysfunction as a major determinant of disability in patients with heart failure: results from a multicentre survey, **109**
Comparative neuropsychology of Lewy body and Alzheimer's dementia: *commentary*, **148**
Delirium episode as a sign of undetected dementia among community dwelling elderly subjects: *correspondence*, **821**
Dementia as a complication of schizophrenia, **588**
Shunt related changes in somatostatin, neuropeptide Y, and corticotropin releasing factor concentrations in patients with normal pressure hydrocephalus, **298**
dementia of Alzheimer's type, Semantic memory is impaired in both dementia with Lewy bodies and dementia of Alzheimer's type: a comparative neuropsychological study and literature review, **149**
dementia with Lewy bodies, Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology, **739**
Cardiac ^{123}I-meta-iodobenzylguanidine (MIBG) uptake in dementia with Lewy bodies: comparison with Alzheimer's disease, **781**
Perception, attention, and working memory are disproportionately impaired in dementia with Lewy bodies compared with Alzheimer's disease, **157**
Semantic memory is impaired in both dementia with Lewy bodies and dementia of Alzheimer's type: a comparative neuropsychological study and literature review, **149**
demyelination, Diagnosis of a multifocal B cell lymphoma with preceding demyelinating central nervous system lesions by single voxel proton MR spectroscopy, **259**
Variation of visual evoked potential delay to stimulation of central, nasal, and temporal regions of the macula in optic neuritis, **28**
depression, A neuropathological study of vascular factors in late-life depression, **83**
Does disturbed homocysteine and folate metabolism in depression result from enhanced oxidative stress?: *correspondence*, **419**
Impact of depressed mood on neuropsychological status in temporal lobe epilepsy, **180**
diffusion, Quantitative diffusion weighted magnetic resonance imaging, cerebral atrophy, and disability in multiple sclerosis, **318**
diffusion tensor imaging, Combined functional magnetic resonance imaging and diffusion tensor imaging demonstrate widespread modified organisation in malformation of cortical development, **521**
Diffusion imaging shows abnormalities after blunt head trauma when conventional magnetic resonance imaging is normal, **530**
diffusion weighted imaging, Diffusion weighted magnetic resonance imaging in Neuro-Behçet's disease: *letter*, **412**
Magnetic resonance imaging, magnetisation transfer imaging, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy, **444**
digitising tablet, Kinematic analysis of handwriting movements in patients with obsessive-compulsive disorder, **605**
direct electrical stimulations, Acute functional reorganisation of the human motor cortex during resection of central lesions: a study using intraoperative brain mapping, **506**
disability, Cognitive dysfunction as a major determinant of disability in patients with heart failure: results from a multicentre survey, **109**
dissection, Transient total tongue paralysis from simultaneous central and peripheral lesions: *lesson of the month*, **806**
divorce, Multiple sclerosis treatment trial precipitates divorce: *letter*, **135**
DNA methylation, Reconsideration of biallelic inactivation of the *VHL* tumour suppressor gene in hemangioblastomas of the central nervous system, **644**
dopamine, Increased plasma neurotensin concentrations in patients with Parkinson's disease, **784**
driving, Return to driving after head injury, **761**
drug induced tremor, Amitriptyline enhances the central component of physiological tremor, **78**
drug resistance, Clinical factors of drug resistance in juvenile myoclonic epilepsy, **240**
dysembryoplastic neuroepithelial tumour, Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions, **450**
dyskinesia, Blockade of cholecystokinin-A receptors has no effect on dyskinesias in Parkinson's disease: *letter*, **812**
dystonia, Analysis of stimuli triggering attacks of paroxysmal dystonia induced by exertion, **247**
dystonic tremor, Wilson's disease presenting in a family with an apparent dominant history of tremor: *lesson of the month*, **514**

effectiveness, Systematic review of immunomodulatory drugs for the treatment of people with multiple sclerosis: Is there good quality evidence on effectiveness and cost?, **574**
elastic contraction, Levodopa reversible loss of the Piper frequency oscillation component in Parkinson's disease, **471**
elderly patients, Hemicraniectomy in elderly patients with space occupying media infarction: improved survival but poor functional outcome, **226**
elderly people, Prevalence of headache in an elderly population: attack frequency, disability, and use of medication, **377**
electrical stimulation, The cingulate hidden hand: *letter*, **264**
electroencephalogram, Assessment and investigation of possible epileptic seizures: *Neurology in Practice*, **ii3**
electrophysiological evaluation, Electrophysiological evaluation of oropharyngeal swallowing in myotonic dystrophy, **363**
encephalomyelitis, Encephalomyelitis due to *Cryptococcus neoformans* var *gattii* presenting as spinal tumour: case report and review of the literature, **113**
enzyme linked immunosorbent assay, Comparative study of preceding *Campylobacter jejuni* infection in Guillain-Barré syndrome in Japan and The Netherlands, **693**
enzyme therapy, Atypical course of neuropathic Gaucher's disease: follow up from early infancy until adulthood: *letter*, **133**
epidural steroid therapy, Intraspinal steroids: history, efficacy, accidentality, and controversy with review of United States Food and Drug Administration reports, **433**
epilepsy, Additional educational needs in children born to mothers with epilepsy, **15**
Assessment and investigation of possible epileptic seizures: *Neurology in Practice*, **ii3**
Combined functional magnetic resonance imaging and diffusion tensor imaging demonstrate widespread modified organisation in malformation of cortical development, **521**
If it's not epilepsy...: *Neurology in Practice*, **ii9**
Iron overload without the C282Y mutation in patients with epilepsy, **551**
Neurocysticercosis and epilepsy in developing countries: *correspondence*, **707**
Neurology in practice: epilepsy: *Neurology in Practice*, **ii1**
New drug treatments for epilepsy: *editorial*, **143**
The clinical impact of epilepsy genetics: *editorial*, **428**
The management of epilepsy: *Neurology in Practice*, **ii15**
The management of status epilepticus: *Neurology in Practice*, **ii22**
The psychoses of epilepsy: *correspondence*, **708**
Treatment of paroxysmal sympathetic storm with labetalol: *correspondence*, **818**
epilepsy surgery, The outcome of epilepsy surgery: *commentary*, **432**
EQ-5D health status questionnaire, Relation between Glasgow outcome score extended (GOSE) and the EQ-5D health status questionnaire after head injury: *correspondence*, **267**
essential tremor, Wilson's disease presenting in a family with an apparent dominant history of tremor: *lesson of the month*, **514**

facet joint, Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
familial Parkinson's disease, Clinical phenotype in patients with α-synuclein Parkinson's disease living in Greece in comparison with patients with sporadic Parkinson's disease, **662**
fear, Fear as the main feature of epileptic seizures, **186**
fish poisoning, Neurology of ciguatera: *review*, **4**
flavectomy, Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
focal demyelination, Upholsterer's PIN: *letter*, **706**
focal epilepsy, Assessment and investigation of possible epileptic seizures: *Neurology in Practice*, **ii3**
focal lesion, Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions, **450**
focal temporal lobe dysfunction, Brain perfusion abnormalities in Alzheimer's disease: comparison between patients with focal temporal lobe dysfunction and patients with diffuse cognitive impairment, **22**
folate metabolism, Does disturbed homocysteine and folate metabolism in depression result from enhanced oxidative stress?: *correspondence*, **419**
fractional anisotropy, Diffusion imaging shows abnormalities after blunt head trauma when conventional magnetic resonance imaging is normal, **530**
free radicals, α-Tocopherol/lipid ratio in blood is decreased in patients with Leber's hereditary optic neuropathy and asymptomatic carriers of the 11778 mtDNA mutation, **359**
frontal lobe epilepsies, Fear as the main feature of epileptic seizures, **186**
frontotemporal dementia, Distinct behavioural profiles in frontotemporal dementia and semantic dementia, **323**

Loss of silent reading in frontotemporal dementia: unmasking the inner speech: *letter*, **705**
Temporal lobe rating scale: application to Alzheimer's disease and frontotemporal dementia, **165**

gabapentin, Charles Bonnet's syndrome: complete remission of complex visual hallucinations treated by gabapentin: *letter*, **813**
GAD autoantibodies, Presynaptic inhibition of cerebellar GABAergic transmission by glutamate decarboxylase autoantibodies in progressive cerebellar ataxia, **386**
gait analysis, Comparative analysis of the gait disorder of normal pressure hydrocephalus and Parkinson's disease, **289**
gait disorders, Gait disorders: *commentary*, **288**
gamma knife, Gamma knife radiosurgery of recurrent central neurocytomas: a preliminary report, **489**
gene dosage effect, De novo partial duplication of 17p associated with Charcot-Marie-Tooth disease type 1A: *letter*, **703**
generalised epilepsy, Assessment and investigation of possible epileptic seizures: *Neurology in Practice*, **ii3**
generalised seizures, The management of epilepsy: *Neurology in Practice*, **ii15**
genetic counselling, Disability and quality of life in Charcot-Marie-Tooth disease type 1, **548**
genetics, The clinical impact of epilepsy genetics: *editorial*, **428**
Gilles de la Tourette's syndrome, Decreased sleep quality and increased sleep related movements in patients with Tourette's syndrome, **192**
Immediate and long term outcome after infrathalamic and thalamic lesioning for intractable Tourette's syndrome, **666**
Glasgow coma scale, Depth of lesion model in children and adolescents with moderate to severe traumatic brain injury: use of SPGR MRI to predict severity and outcome, **350**
Glasgow coma score, Relation between Glasgow outcome score extended (GOSE) and the EQ-5D health status questionnaire after head injury: *correspondence*, **267**
glatiramer acetate, Lymphadenopathy in patients with multiple sclerosis undergoing treatment with glatiramer acetate: *letter*, **415**
glioma, Primary diffuse leptomeningeal gliomatosis predominantly affecting the spinal cord: case report and review of the literature, **256**
gliomatosis, Primary diffuse leptomeningeal gliomatosis simulating tuberculous meningitis, **120**
globus pallidus, Pallidal and thalamic neurostimulation in severe tardive dystonia, **557**
globus pallidus internus, Deep brain stimulation for the treatment of Parkinson's disease: subthalamic nucleus versus globus pallidus internus, **464**
glutathione transferase, Zeta class glutathione transferase polymorphisms and Parkinson's disease: *letter*, **407**
grey matter diffusivity, Magnetisation transfer ratio and mean diffusivity of normal appearing white and grey matter from patients with multiple sclerosis, **311**
Guillain-Barré syndrome, Anti-GQ1b IgG antibody syndrome: clinical and immunological range, **50**
Comparative study of preceding *Campylobacter jejuni* infection in Guillain-Barré syndrome in Japan and The Netherlands, **693**
Indicators of rapid clinical recovery in Guillain-Barré syndrome, **560**

H reflex, Facilitation of transmission in heteronymous group II pathways in spastic hemiplegic patients, **36**
haemangiomata, Widespread cerebral cavernous haemangiomata found after 24 years of intermittent symptoms: *editorial*, **404**
haemochromatosis, Iron overload without the C282Y mutation in patients with epilepsy, **551**
Haemophilus influenzae, Indicators of rapid clinical recovery in Guillain-Barré syndrome, **560**
haemorragic transformation, Massive haemorrhagic transformation in cardioembolic stroke: the role of arterial wall trauma and dissection, **672**
handwriting, Kinematic analysis of handwriting movements in patients with obsessive-compulsive disorder, **605**
head injury, Diffusion imaging shows abnormalities after blunt head trauma when conventional magnetic resonance imaging is normal, **530**
Excitatory and inhibitory corticospinal responses to transcranial magnetic stimulation in patients with minor to moderate head injury, **580**
Increased jugular bulb saturation is associated with poor outcome in traumatic brain injury, **101**
Isolated medulla oblongata function after severe traumatic brain injury, **127**
headache prevalence, Prevalence of headache in an elderly population: attack frequency, disability, and use of medication, **377**
health related quality of life, The "burden of normality": concepts of adjustment after surgery for seizures, **649**
health status, Reduced item set for the amyotrophic lateral sclerosis assessment questionnaire: development and validation of the ALSAQ-5, **70**
heart failure, Cognitive dysfunction as a major determinant of disability in patients with heart failure: results from a multicentre survey, **109**
heart rate, Ambulatory ECG and analysis of heart rate variability in Parkinson's disease, **305**
hemangioblastoma, Reconsideration of biallelic inactivation of the *VHL* tumour suppressor gene in hemangioblastomas of the central nervous system, **644**
hemianopia, Unusual spontaneous and training induced visual field recovery in a patient with a gunshot lesion, **236**
hemicraniectomy, Hemicraniectomy in elderly patients with space occupying media infarction: improved survival but poor functional outcome, **226**
hemifacial spasm, "The other" Babinski's sign: paradoxical raising of the eyebrow in hemifacial spasm: *editorial*, **516**
hemiplegia, Facilitation of transmission in heteronymous group II pathways in spastic hemiplegic patients, **36**
Henry Hun (1854–1924), Henry Hun (1854–1924), **349**
hepatocerebral degeneration, Acquired hepatocerebral degeneration: full recovery after liver transplantation: *letter*, **136**
hereditary neuropathy, Disability and quality of life in Charcot-Marie-Tooth disease type 1, **548**
herpes simplex encephalitis, Herpes simplex encephalitis: involvement of apolipoprotein E genotype, **117**
herpes simplex type 1 virus, Herpes simplex encephalitis: involvement of apolipoprotein E genotype, **117**
heteroduplex analysis, Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system, **767**
Hirayama disease, Juvenile muscular atrophy of the distal upper limb (Hirayama disease) associated with atopy, **798**
historical neurology, "The other" Babinski's sign: paradoxical raising of the eyebrow in hemifacial spasm: *editorial*, **516**
HIV, HTLV-I and HIV infections of the CNS in tropical areas: *correspondence*, **138**
HTLV-I, HTLV-I and HIV infections of the CNS in tropical areas: *correspondence*, **138**
human skeletal muscle sodium channel (*SCN4A*) gene, Phenotypic variation of a Thr704Met mutation in skeletal sodium channel gene in a family with paralysis periodica paramyotonica, **618**
Huntington's disease, Benzodiazepine receptor quantification in Huntington's disease with [^{123}I]iomazenil and SPECT, **657**
hyperalgesia, Allodynia: a sensory analogue of motor mirror neurons in a hyperaesthetic patient reporting instantaneous discomfort to another's perceived sudden minor injury?: *letter*, **135**
hyperglycaemia, Blood pressure response to glucose potassium insulin therapy in patients with acute stroke with mild to moderate hyperglycaemia, **401**
hyperkalaemic periodic paralysis, Phenotypic variation of a Thr704Met mutation in skeletal sodium channel gene in a family with paralysis periodica paramyotonica, **618**
hyperphosphorylated tau, Both total and phosphorylated tau are increased in Alzheimer's disease, **624**
hypersensitivity, Meningoencephalitis after streptokinase treatment : *letter*, **132**
hypoxaemia, Axonal polyneuropathy in obstructive sleep apnoea, **685**

immunomodulatory drugs, Systematic review of immunomodulatory drugs for the treatment of people with multiple sclerosis: Is there good quality evidence on effectiveness and cost?, **574**
immunotherapy, A case of stiff limb syndrome responsive to plasma exchange: *letter*, **407**
incidence, Incidence and outcome of subarachnoid haemorrhage: a retrospective population based study, **340**
inclusion body myositis, Anti-Jo-1 positive inclusion body myositis with a marked and sustained clinical improvement after oral prednisone: *letter*, **706**
inflammatory cytokines, Inflammatory cytokines in subarachnoid haemorrhage: association with abnormal blood flow velocities in basal cerebral arteries, **534**
inflammatory myopathies, Progress in inflammatory myopathies: good but not good enough: *editorial*, **569**
infrathalamic and thalamic lesioning, Immediate and long term outcome after infrathalamic and thalamic lesioning for intractable Tourette's syndrome, **666**
inner speech, Loss of silent reading in frontotemporal dementia: unmasking the inner speech: *letter*, **705**
interferon, Acute autonomic and sensory neuropathy after interferon α-2b therapy for chronic hepatitis C: *letter*, **408**
interferon β-1b, Azathioprine and interferon β-1b treatment in relapsing-remitting multiple sclerosis: *letter*, **413**
internal carotid artery dissection, Transient total tongue paralysis from simultaneous central and peripheral lesions: *lesson of the month*, **806**
Internal iliac artery ligation, Peripheral nerve ischaemia after internal iliac artery ligation: *letter*, **411**
internuclear ophthalmoplegia, Complete bilateral horizontal gaze paralysis disclosing multiple sclerosis, **252**
intracranial bleeding, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves: *correspondence*, **820**

intracranial dissection, Massive haemorrhagic transformation in cardioembolic stroke: the role of arterial wall trauma and dissection, **672**
intracranial haemorrhage, The benefit of an acute stroke unit in patients with intracranial haemorrhage: a controlled trial, **631**
intracranial hypertension, Idiopathic intracranial hypertension and anticardolipin antibodies: *correspondence,* **420**
intracranial pressure, Statistics and analysis of the Camino ICP monitor: *correspondence,* **138**
intraspinal steroid therapy, Intraspinal steroids: history, efficacy, accidentality, and controversy with review of United States Food and Drug Administration reports, **433**
intrathecal steroid therapy, Intraspinal steroids: history, efficacy, accidentality, and controversy with review of United States Food and Drug Administration reports, **433**
inward rectification, Differences in accommodative properties of median and peroneal motor axons, **372**
ipsipulsion, Ocular contrapulsion in multiple sclerosis: clinical features and pathophysiological mechanisms, **688**
iron overload, Iron overload without the C282Y mutation in patients with epilepsy, **551**

Jo-1, Anti-Jo-1 positive inclusion body myositis with a marked and sustained clinical improvement after oral prednisone: *letter,* **706**
jugular bulb venous oxygen saturation, Increased jugular bulb saturation is associated with poor outcome in traumatic brain injury, **101**
juvenile myoclonic epilepsy, Clinical factors of drug resistance in juvenile myoclonic epilepsy, **240**

Kayser-Fleischer ring, Wilson's disease presenting in a family with an apparent dominant history of tremor: *lesson of the month,* **514**
kidney tumour, Paraneoplastic opsoclonus-myoclonus associated with renal cell carcinoma and responsive to tumour ablation: *letter,* **814**

labetalol, Treatment of paroxysmal sympathetic storm with labetalol: *correspondence,* **818**
Lambert-Eaton myasthenic syndrome, Long term outcome in Lambert-Eaton myasthenic syndrome without lung cancer, **212**
lateral medullary infarction, Unexpected sudden death after lateral medullary infarction: *correspondence,* **137**
lateralisation, Abnormal peripheral auditory asymmetry in schizophrenia, **88**
Leber's hereditary optic neuropathy, α-Tocopherol/lipid ratio in blood is decreased in patients with Leber's hereditary optic neuropathy and asymptomatic carriers of the 11778 mtDNA mutation, **359**
Magnetic resonance imaging, magnetisation transfer imaging, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy, **444**
Magnetic resonance, magnetisation transfer, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy: *commentary,* **431**
left handedness, Posterior alexia after right occipitotemporal infarction: *letter,* **702**
leptomeningeal, Primary diffuse leptomeningeal gliomatosis simulating tuberculous meningitis, **120**
leptomeninges, Primary diffuse leptomeningeal gliomatosis predominantly affecting the spinal cord: case report and review of the literature, **256**
lesion depth, Depth of lesion model in children and adolescents with moderate to severe traumatic brain injury: use of SPGR MRI to predict severity and outcome, **350**
levodopa induced dyskinesias, High dose naltrexone for dyskinesias induced by levodopa, **554**
Lewy bodies, Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology: *commentary,* **720**
Comparative neuropsychology of Lewy body and Alzheimer's dementia: *commentary,* **148**
Lewy body disease, Pentagon copying is more impaired in dementia with Lewy bodies than in Alzheimer's disease, **483**
liver transplantation, Acquired hepatocerebral degeneration: full recovery after liver transplantation: *letter,* **136**
lumbar spine, Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
lumbosacral plexopathy, Peripheral nerve ischaemia after internal iliac artery ligation: *letter,* **411**
lung adenocarcinoma, Paraneoplastic brain stem encephalitis in a woman with anti-Ma2 antibody, **222**
lymphadenopathy, Lymphadenopathy in patients with multiple sclerosis undergoing treatment with glatiramer acetate: *letter,* **415**

magnetic resonance imaging, Assessing the risk of early multiple sclerosis in patients with clinically isolated syndromes: the role of a follow up MRI, **390**
Clinical features associated with internal carotid artery occlusion do not correlate with MRA cerebropetal flow measurements, **333**
Clinical trials of multiple sclerosis monitored with enhanced MRI: new sample size calculations based on large data sets, **494**
Combined functional magnetic resonance imaging and diffusion tensor imaging demonstrate widespread modified organisation in malformation of cortical development, **521**
Depth of lesion model in children and adolescents with moderate to severe traumatic brain injury: use of SPGR MRI to predict severity and outcome, **350**
Detection of subarachnoid haemorrhage with magnetic resonance imaging, **205**
Functional MRI for presurgical planning: problems, artefacts, and solution strategies, **749**
Magnetic resonance imaging, magnetisation transfer imaging, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy, **444**
Magnetic resonance, magnetisation transfer, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy: *commentary,* **431**
Medial medullary syndrome due to vertebral artery dissection, **130**
Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study. The Rotterdam Scan Study, **9**
Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study: the Rotterdam Scan Study: *commentary,* **2**
Quantitative diffusion weighted magnetic resonance imaging, cerebral atrophy, and disability in multiple sclerosis, **318**
Radiology of stroke: *Neurology in Practice,* **i7**
Refsum's disease in an Arabian family: *letter,* **564**
Structural imaging in the clinical diagnosis of Alzheimer's disease: problems and tools: *editorial,* **711**
Unilateral caudate head lesion simulating brain tumour in X-linked adult onset adrenoleukodystrophy: *letter,* **414**
magnetic resonance spectroscopy, Diagnosis of a multifocal B cell lymphoma with preceding demyelinating central nervous system lesions by single voxel proton MR spectroscopy, **259**
Reversible brain dysfunction in MELAS: MEG, and ^{1}H MRS analysis, **675**
magnetic stimulation, Analysis of stimuli triggering attacks of paroxysmal dystonia induced by exertion, **247**
Analysis of stimuli triggering attacks of paroxysmal dystonia induced by exertion, **247**
magnetisation transfer imaging, Magnetic resonance imaging, magnetisation transfer imaging, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy, **444**
magnetisation transfer ratio, Magnetisation transfer ratio and mean diffusivity of normal appearing white and grey matter from patients with multiple sclerosis, **311**
magnetoencephalography, Reversible brain dysfunction in MELAS: MEG, and ^{1}H MRS analysis, **675**
malformation of cortical development, Combined functional magnetic resonance imaging and diffusion tensor imaging demonstrate widespread modified organisation in malformation of cortical development, **521**
malignant lymphoma, A case of malignant lymphoma exhibiting multiple cranial nerve enhancement: leptomeningeal metastasis? Or another lymphoma associated event?: *letter,* **565**
McLeod syndrome, Reduction of striatal glucose metabolism in McLeod choreoacanthocytosis, **517**
mean diffusivity, Diffusion imaging shows abnormalities after blunt head trauma when conventional magnetic resonance imaging is normal, **530**
medial olivocochlear efferent system, Abnormal peripheral auditory asymmetry in schizophrenia, **88**
MELAS, Reversible brain dysfunction in MELAS: MEG, and ^{1}H MRS analysis, **675**
memory, Perception, attention, and working memory are disproportionately impaired in dementia with Lewy bodies compared with Alzheimer's disease, **157**
Reducing everyday memory and planning problems by means of a paging system: a randomised control crossover study, **477**
meningioma, Infarction and shrinkage of a meningioma after extensive cosmetic surgery, **405**
meningoencephalitis, Meningoencephalitis after streptokinase treatment : *letter,* **132**
meningoradiculitis, Unusual presentation of a primary spinal Burkitt's lymphoma, **794**
metabolism, Clinical features associated with internal carotid artery occlusion do not correlate with MRA cerebropetal flow measurements, **333**
meta-iodobenzylguanidine, Cardiac ^{123}I-meta-iodobenzylguanidine (MIBG) uptake in dementia with Lewy bodies: comparison with Alzheimer's disease, **781**
middle cerebral artery, Preoperative and postoperative imaging of an aneurysm of the middle cerebral artery with transcranial duplex sonography, **810**
migraine, Identification and management of difficult stroke and TIA syndromes: *Neurology in Practice,* **i17**
If it's not epilepsy...: *Neurology in Practice,* **ii9**
Migrainous brain stem disturbance in Norrie disease: case report: *letter,* **815**

Miller Fisher syndrome, Anti-GQ1b IgG antibody syndrome: clinical and immunological range, **50**
mirror neurons, Allodynia: a sensory analogue of motor mirror neurons in a hyperaesthetic patient reporting instantaneous discomfort to another's perceived sudden minor injury?: *letter,* **135**
mite, Juvenile muscular atrophy of the distal upper limb (Hirayama disease) associated with atopy, **798**
mobility, Controlled randomised crossover trial of the effects of physiotherapy on mobility in chronic multiple sclerosis, **174**
monoamine oxidase B, Platelet monoamine oxidase B and plasma β-phenylethylamine in Parkinson's disease, **229**
mortality, Incidence and outcome of subarachnoid haemorrhage: a retrospective population based study, **340**
The benefit of an acute stroke unit in patients with intracranial haemorrhage: a controlled trial, **631**
motor cortex, Acute functional reorganisation of the human motor cortex during resection of central lesions: a study using intraoperative brain mapping, **506**
Functional MRI for presurgical planning: problems, artefacts, and solution strategies, **749**
motor evoked potential, Excitatory and inhibitory corticospinal responses to transcranial magnetic stimulation in patients with minor to moderate head injury, **580**
movement analysis, Decreased sleep quality and increased sleep related movements in patients with Tourette's syndrome, **192**
MPZ gene, Mild recurrent neuropathy in CMT1B with a novel nonsense mutation in the extracellular domain of the MPZ gene, **232**
multiphasic neuromyelitis optica, Demyelinating disorder of the central nervous system occurring in black South Africans, **500**
multiple sclerosis, A longitudinal study of brain atrophy and cognitive disturbances in the early phase of relapsing-remitting multiple sclerosis, **773**
Assessing the risk of early multiple sclerosis in patients with clinically isolated syndromes: the role of a follow up MRI, **390**
Azathioprine and interferon β-1b treatment in relapsing-remitting multiple sclerosis: *letter,* **413**
Azathioprine treatment in multiple sclerosis; pretreatment assessment of metaboliser status: *letter,* **815**
Building an evidence base for multiple sclerosis management: support for physiotherapy: *commentary,* **147**
Clinical trials of multiple sclerosis monitored with enhanced MRI: new sample size calculations based on large data sets, **494**
Complete bilateral horizontal gaze paralysis disclosing multiple sclerosis, **252**
Controlled randomised crossover trial of the effects of physiotherapy on mobility in chronic multiple sclerosis, **174**
Demyelinating disorder of the central nervous system occurring in black South Africans, **500**
Imaging counterparts of cognitive decline in multiple sclerosis: *commentary,* **721**
Lymphadenopathy in patients with multiple sclerosis undergoing treatment with glatiramer acetate: *letter,* **415**
Magnetic resonance imaging, magnetisation transfer imaging, and diffusion weighted imaging correlates of optic nerve, brain, and cervical cord damage in Leber's hereditary optic neuropathy, **444**
Magnetisation transfer ratio and mean diffusivity of normal appearing white and grey matter from patients with multiple sclerosis, **311**
Multiple sclerosis treatment trial precipitates divorce: *letter,* **135**
Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system, **767**
Quantitative diffusion weighted magnetic resonance imaging, cerebral atrophy, and disability in multiple sclerosis, **318**
Systematic review of immunomodulatory drugs for the treatment of people with multiple sclerosis: Is there good quality evidence on effectiveness and cost?, **574**
Variation of visual evoked potential delay to stimulation of central, nasal, and temporal regions of the macula in optic neuritis, **28**
Measurement of spinal cord area in clinically isolated syndromes suggestive of multiple sclerosis, **544**
multiple system atrophy, Diagnostic criteria of multiple system atrophy: *correspondence,* **709**
mummy portraits, Neurology in ancient faces, **524**
muscle spasticity, Facilitation of transmission in heteronymous group II pathways in spastic hemiplegic patients, **36**
myasthenic syndrome, A transient dysfunction of the neuromuscular junction due to carbendazim intoxication: *letter,* **563**
myelitis, Localised myelitis caused by visceral larva migrans due to *Ascaris suum* masquerading as an isolated spinal cord tumour: *letter,* **265**
myotonic dystrophy, Electrophysiological evaluation of oropharyngeal swallowing in myotonic dystrophy, **363**

naltrexone, High dose naltrexone for dyskinesias induced by levodopa, **554**
neck sprain, The late whiplash syndrome: a biopsychosocial approach: *review,* **722**
necropsy, Primary diffuse leptomeningeal gliomatosis predominantly affecting the spinal cord: case report and review of the literature, **256**
nervous system, Primary diffuse leptomeningeal gliomatosis predominantly affecting the spinal cord: case report and review of the literature, **256**
neuro-Behçet's disease, Diffusion weighted magnetic resonance imaging in Neuro-Behçet's disease: *letter,* **412**
neurocysticercosis, Neurocysticercosis and epilepsy in developing countries: *correspondence,* **707**
neurological diseases, Treatment of sialorrhoea with ultrasound guided botulinum toxin type A injection in patients with neurological disorders, **538**
neurological stamp, Charles Robert Richet (1850–1935), **255**
Paul Ehrlich (1854–1915) and Emil Adolf Von Behring (1854–1917), **678**
Paul Emilio Roux (1853–1933), **393**
Sir David Bruce (1855–1931) and Thermistocles Zammit (1864–1935), **520**
Valdimir Mikhailovich Bechterev (1857–1927), **743**
Wilhelm Conrad Von Röntgen (1845–1923), **126**
neurology in practice, Neurology in practice: another supplement: why?: *editorial,* **427**
neuromuscular junction, A transient dysfunction of the neuromuscular junction due to carbendazim intoxication: *letter,* **563**
neuromyotonic discharges, Volitional and stimulation induced neuromyotonic discharges: unusual electrophysiological pattern in acquired neuromyotonia: *letter,* **406**
neuron-specific enolase, Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury, **95**
neuropathic Gaucher's disease molecular biology, Atypical course of neuropathic Gaucher's disease: follow up from early infancy until adulthood: *letter,* **133**
neuropathic pain, Neuropathic pain with vesical and rectal hyperreflexia and cocontraction after pelvic surgery: *letter,* **410**
neuropeptides, Shunt related changes in somatostatin, neuropeptide Y, and corticotropin releasing factor concentrations in patients with normal pressure hydrocephalus, **298**
neuropsychological profiles, Brain perfusion abnormalities in Alzheimer's disease: comparison between patients with focal temporal lobe dysfunction and patients with diffuse cognitive impairment, **22**
neuropsychological tests, Pentagon copying is more impaired in dementia with Lewy bodies than in Alzheimer's disease, **483**
neuropsychology, Impact of depressed mood on neuropsychological status in temporal lobe epilepsy, **180**
Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury, **95**
Semantic memory is impaired in both dementia with Lewy bodies and dementia of Alzheimer's type: a comparative neuropsychological study and literature review, **149**
neurostimulation, Pallidal and thalamic neurostimulation in severe tardive dystonia, **557**
neurosurgery, Medical management of stroke: *Neurology in Practice,* **i12**
neurotoxins, Neurology of ciguatera: *review,* **4**
neurovisual rehabilitation, Neurovisual rehabilitation in Balint's syndrome: *correspondence,* **416**
non-invasive monitoring, Preliminary experience of the estimation of cerebral perfusion pressure using transcranial Doppler ultrasonography, **198**
nonsense mutation, Mild recurrent neuropathy in CMT1B with a novel nonsense mutation in the extracellular domain of the MPZ gene, **232**
normal pressure hydrocephalus, Comparative analysis of the gait disorder of normal pressure hydrocephalus and Parkinson's disease, **289**
Shunt related changes in somatostatin, neuropeptide Y, and corticotropin releasing factor concentrations in patients with normal pressure hydrocephalus, **298**
Norrie disease, Migrainous brain stem disturbance in Norrie disease: case report: *letter,* **815**
NOS3 gene, The Glu298Asp polymorphism in the NOS3 gene is not associated with sporadic Alzheimer's disease: *letter,* **566**
Notch 3, Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: from stroke to vessel wall physiology: *editorial,* **285**

obsessive-compulsive disorder, Kinematic analysis of handwriting movements in patients with obsessive-compulsive disorder, **605**
Obsessive-compulsive symptoms in Parkinson's disease, **394**
obstructive sleep apnoea, Axonal polyneuropathy in obstructive sleep apnoea, **685**
occupational therapy, Randomised controlled trial of occupational therapy at home: results at 1 year: *letter,* **267**
olfaction, Anosmia in dementia is associated with Lewy bodies rather than Alzheimer's pathology, **739**
olfactory function, Olfactory function in patients with olfactory groove meningioma, **218**
olfactory groove meningioma, Olfactory function in patients with olfactory groove meningioma, **218**

ophthalmoplegia, Anti-GQ1b IgG antibody syndrome: clinical and immunological range, **50**
optic neuritis, Variation of visual evoked potential delay to stimulation of central, nasal, and temporal regions of the macula in optic neuritis, **28**
oropharyngeal dysphagia, Electrophysiological evaluation of oropharyngeal swallowing in myotonic dystrophy, **363**
otoacoustic emissions, Abnormal peripheral auditory asymmetry in schizophrenia, **88**
outcome, Delirium episode as a sign of undetected dementia among community dwelling elderly subjects: *correspondence*, **821**
Isolated medulla oblongata function after severe traumatic brain injury, **127**
Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions, **450**
Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury, **95**
Oxfordshire Community Stroke Project, How well does the Oxfordshire Community Stroke Project classification predict the site and size of infarct of brain imaging?: *correspondence*, **567**
oxidative stress, Does disturbed homocysteine and folate metabolism in depression result from enhanced oxidative stress?: *correspondence*, **419**

Paccioni granulations, Intravenous hypertrophic Paccioni granulations: differentiation from venous dural thrombosis: *lesson of the month*, **700**
paralysis periodica paramyotonica, Phenotypic variation of a Thr704Met mutation in skeletal sodium channel gene in a family with paralysis periodica paramyotonica, **618**
paramyotonia congenita, Phenotypic variation of a Thr704Met mutation in skeletal sodium channel gene in a family with paralysis periodica paramyotonica, **618**
paraneoplastic, Paraneoplastic brain stem encephalitis in a woman with anti-Ma2 antibody, **222**
paraneoplastic opsoclonus-myoclonus, Paraneoplastic opsoclonus-myoclonus associated with renal cell carcinoma and responsive to tumour ablation: *letter*, **814**
parietal lobe, Allodynia: a sensory analogue of motor mirror neurons in a hyperaesthetic patient reporting instantaneous discomfort to another's perceived sudden minor injury?: *letter*, **135**
Parkinson's disease, Ambulatory ECG and analysis of heart rate variability in Parkinson's disease, **305**
Blockade of cholecystokinin-A receptors has no effect on dyskinesias in Parkinson's disease: *letter*, **812**
Comparative analysis of the gait disorder of normal pressure hydrocephalus and Parkinson's disease, **289**
Deep brain stimulation for the treatment of Parkinson's disease: subthalamic nucleus versus globus pallidus internus, **464**
High dose naltrexone for dyskinesias induced by levodopa, **554**
Increased plasma neurotensin concentrations in patients with Parkinson's disease, **784**
Levodopa reversible loss of the Piper frequency oscillation component in Parkinson's disease, **471**
Obsessive-compulsive symptoms in Parkinson's disease, **394**
Platelet monoamine oxidase B and plasma β-phenylethylamine in Parkinson's disease, **229**
Prospective study of hallucinations and delusions in Parkinson's disease, **734**
The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease: *correspondence*, **817**
Treatment of early onset Parkinson's disease with ropinirole: *correspondence*, **418**
Visual hallucinations in Parkinson's disease: a review and phenomenological survey, **727**
Visual hallucinations in Parkinson's disease: their nature, frequency, and origins: *commentary*, **719**
Zeta class glutathione transferase polymorphisms and Parkinson's disease: *letter*, **407**
partial seizures, Fear as the main feature of epileptic seizures, **186**
The management of epilepsy: *Neurology in Practice*, **ii15**
patch clamp, Presynaptic inhibition of cerebellar GABAergic transmission by glutamate decarboxylase autoantibodies in progressive cerebellar ataxia, **386**
pathology, A neuropathological study of vascular factors in late-life depression, **83**
pelvic surgery, Neuropathic pain with vesical and rectal hyperreflexia and cocontraction after pelvic surgery: *letter*, **410**
periodic alternating nystagmus, Paroxysmal alternating skew deviation and nystagmus after partial destruction of the uvula, **790**
pesticides, Zeta class glutathione transferase polymorphisms and Parkinson's disease: *letter*, **407**
PET, Identification without naming: a functional neuroimaging study of an anomic patient, **397**
pharmacogenetics, The clinical impact of epilepsy genetics: *editorial*, **428**
phenomenology, Visual hallucinations in Parkinson's disease: a review and phenomenological survey, **727**
β-phenylethylamine Platelet monoamine oxidase B and plasma β-phenylethylamine in Parkinson's disease, **229**
physiotherapy, Building an evidence base for multiple sclerosis management: support for physiotherapy: *commentary*, **147**
Controlled randomised crossover trial of the effects of physiotherapy on mobility in chronic multiple sclerosis, **174**
Piper rhythm, Levodopa reversible loss of the Piper frequency oscillation component in Parkinson's disease, **471**
plaque, Atypical form of dural graft associated Creutzfeldt-Jakob disease: report of a postmortem case with review of the literature, **696**
plasma neurotensin, Increased plasma neurotensin concentrations in patients with Parkinson's disease, **784**
plasmapheresis, Hashimoto's encephalopathy responding to plasmapheresis: *letter*, **132**
PMP22, PMP22 related congenital hypomyelination neuropathy, **123**
polyneuropathy, Axonal polyneuropathy in obstructive sleep apnoea, **685**
Effect of lower limb position on ankle jerk assessment: *letter*, **266**
polysomnography, Decreased sleep quality and increased sleep related movements in patients with Tourette's syndrome, **192**
population based, Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study. The Rotterdam Scan Study, **9**
positron emission tomography, Reduction of striatal glucose metabolism in McLeod choreoacanthocytosis, **517**
posterior alexia, Posterior alexia after right occipitotemporal infarction: *letter*, **702**
posterior interosseous nerve, Upholsterer's PIN: *letter*, **706**
postictal psychosis, Postictal psychosis related regional cerebral hyperfusion: *correspondence*, **137**
postperative adjustment: psychosocial outcome, The "burden of normality": concepts of adjustment after surgery for seizures, **649**
pregnancy outcomes, Additional educational needs in children born to mothers with epilepsy, **15**
presurgical planning, Functional MRI for presurgical planning: problems, artefacts, and solution strategies, **749**
prevalence, Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study. The Rotterdam Scan Study, **9**
primary spinal lymphoma, Unusual presentation of a primary spinal Burkitt's lymphoma, **794**
prion diseases, Inherited prion disease with A117V mutation of the prion protein gene: a novel Hungarian family, **802**
prion protein, Atypical form of dural graft associated Creutzfeldt-Jakob disease: report of a postmortem case with review of the literature, **696**
Proceedings of the Association of British Neurologists and Société Suisse de Neurologie Joint meeting, Proceedings of the Association of British Neurologists and Société Suisse de Neurologie Joint meeting, The Commonwealth Institute, London, 20–22 September 2000, **269**
prognosis, Clinical factors of drug resistance in juvenile myoclonic epilepsy, **240**
prognosis, Long term outcome in Lambert-Eaton myasthenic syndrome without lung cancer, **212**
prognostic factors, Clinical features and prognostic factors of cerebral venous sinus thrombosis in a prospective series of 59 patients, **105**
progressive facial hemiatrophy, Neurology in ancient faces, **524**
Scleroderma "en coup de sabre": pathological evidence of intracerebral inflammation, **382**
prosthetic heart valves, Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves: *correspondence*, **820**
Protein 14-3-3, Use of 14–3–3 and other brain-specific proteins in CSF in the diagnosis of variant Creutzfeldt-Jakob disease, **744**
protein S-100B, Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury, **95**
proximal sympathetic storm, Treatment of paroxysmal sympathetic storm with labetalol: *correspondence*, **818**
psychiatric morbidity, High psychiatric morbidity in patients with medically unexplained symptoms: *correspondence*, **708**
psychogenetic attacks, If it's not epilepsy...: *Neurology in Practice*, **ii9**
psychoses, The psychoses of epilepsy: *correspondence*, **708**
public health, Neurology of ciguatera: *review*, **4**
pure word blindness, Posterior alexia after right occipitotemporal infarction: *letter*, **702**

quality of life, Effect of experience of severe stroke on subjective valuations of quality of life after stroke, **679**
The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease: *correspondence*, **817**

radicular pain, Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
radiology, Radiology of stroke: *Neurology in Practice*, **i7**
Rankin scale, Disability and quality of life in Charcot-Marie-Tooth disease type 1, **548**

recovery of function, Unusual spontaneous and training induced visual field recovery in a patient with a gunshot lesion, **236**
recurrence, Gamma knife radiosurgery of recurrent central neurocytomas: a preliminary report, **489**
recurrent ptosis, Recurrent ptosis: *correspondence,* **819**
reflex responses, Stance control is not affected by paresis and reflex hyperexcitability: the case of spastic patients, **635**
Refsum's disease, Refsum's disease in an Arabian family: *letter,* **564**
rehabilitation, Reducing everyday memory and planning problems by means of a paging system: a randomised control crossover study, **477**
retina, Visual field loss associated with vigabatrin: pathological correlations, **787**
reverse dominance, Posterior alexia after right occipitotemporal infarction: *letter,* **702**
ropinerole, Treatment of early onset Parkinson's disease with ropinirole: *correspondence,* **418**

Saint Vitus, Saint Vitus and his dance, **14**
sample size calculations, Clinical trials of multiple sclerosis monitored with enhanced MRI: new sample size calculations based on large data sets, **494**
schizophrenia, Abnormal peripheral auditory asymmetry in schizophrenia, **88**
Affective-prosodic deficits in schizophrenia: profiles of patients with brain damage and comparison with relation to schizophrenic symptoms, **597**
Dementia as a complication of schizophrenia, **588**
scleroderma "en coup de sabre", Scleroderma "en coup de sabre": pathological evidence of intracerebral inflammation, **382**
seizures, Assessment and investigation of possible epileptic seizures: *Neurology in Practice,* **ii3**
If it's not epilepsy... *Neurology in Practice,* **ii9**
The management of status epilepticus: *Neurology in Practice,* **ii22**
seizure surgery, The "burden of normality": concepts of adjustment after surgery for seizures, **649**
semantic and lexical retrieval, Identification without naming: a functional neuroimaging study of an anomic patient, **397**
semantic dementia, Distinct behavioural profiles in frontotemporal dementia and semantic dementia, **323**
semantic memory, Semantic memory is impaired in both dementia with Lewy bodies and dementia of Alzheimer's type: a comparative neuropsychological study and literature review, **149**
serotonin, Migrainous brain stem disturbance in Norrie disease: case report: *letter,* **815**
sex, Cluster headache in women: clinical characteristics and comparison with cluster headache in men, **613**
sialorrhoea, Botulinum toxin for the treatment of sialorrhoea in ALS: serious side effects of a transductal approach: *correspondence,* **417**
Treatment of sialorrhoea with ultrasound guided botulinum toxin type A injection in patients with neurological disorders, **538**
sickness impact profile, Disability and quality of life in Charcot-Marie-Tooth disease type 1, **548**
sideroblastic anaemia, X-linked sideroblastic anaemia with ataxia: another mitochondrial disease?, **65**
silent period, Excitatory and inhibitory corticospinal responses to transcranial magnetic stimulation in patients with minor to moderate head injury, **580**
silent reading, Loss of silent reading in frontotemporal dementia: unmasking the inner speech: *letter,* **705**
sinus thrombosis, Clinical features and prognostic factors of cerebral venous sinus thrombosis in a prospective series of 59 patients, **105**
sixth nerve palsy, Eye movement abnormality associated with cyclosporin, **809**
skeletal malformation, Refsum's disease in an Arabian family: *letter,* **564**
skew deviation, Paroxysmal alternating skew deviation and nystagmus after partial destruction of the uvula, **790**
sleep, Decreased sleep quality and increased sleep related movements in patients with Tourette's syndrome, **192**
slow K^+ channel, Differences in accommodative properties of median and peroneal motor axons, **372**
small subcortical infarcts, Atrial fibrillation with small subcortical infarcts, **344**
somatosensory evoked reflex epilepsy, Rub epilepsy: a somatosensory evoked reflex epilepsy induced by prolonged cutaneous stimulation, **541**
sound localisation, Pattern of localisation error in patients with stroke to sound processed by a binaural sound space processor, **43**
spasticity, Stance control is not affected by paresis and reflex hyperexcitability: the case of spastic patients, **635**
SPECT-iomazenil, Benzodiazepine receptor quantification in Huntington's disease with [^{123}I]iomazenil and SPECT, **657**
spinal cord, Encephalomyelitis due to *Cryptococcus neoformans* var *gattii* presenting as spinal tumour: case report and review of the literature, **113**
spinal cord atrophy, Measurement of spinal cord area in clinically isolated syndromes suggestive of multiple sclerosis, **544**
spondylolisthesis, Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
sporadic Parkinson's disease, Clinical phenotype in patients with α-synuclein Parkinson's disease living in Greece in comparison with patients with sporadic Parkinson's disease, **662**
stance, Stance control is not affected by paresis and reflex hyperexcitability: the case of spastic patients, **635**
standard gamble, Effect of experience of severe stroke on subjective valuations of quality of life after stroke, **679**
startle epilepsy, Rub epilepsy: a somatosensory evoked reflex epilepsy induced by prolonged cutaneous stimulation, **541**
statistics, Statistics and analysis of the Camino ICP monitor: *correspondence,* **138**
status epilepticus, Neurology in practice: epilepsy: *Neurology in Practice,* **ii1**
The management of status epilepticus: *Neurology in Practice,* **ii22**
stiff limb syndrome, A case of stiff limb syndrome responsive to plasma exchange: *letter,* **407**
streptokinase treatment, Meningoencephalitis after streptokinase treatment : *letter,* **132**
stroke, Assessment and investigation of stroke and transient ischaemic attack: *Neurology in Practice,* **i3**
Blood pressure response to glucose potassium insulin therapy in patients with acute stroke with mild to moderate hyperglycaemia, **401**
Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: from stroke to vessel wall physiology: *editorial,* **285**
Clinical features associated with internal carotid artery occlusion do not correlate with MRA cerebropetal flow measurements, **333**
Identification and management of difficult stroke and TIA syndromes: *Neurology in Practice,* **i17**
Medical management of stroke: *Neurology in Practice,* **i12**
Neurology in practice: cerebrovascular disease: *Neurology in Practice,* **i1**
Radiology of stroke: *Neurology in Practice,* **i7**
stroke rehabilitation, Randomised controlled trial of occupational therapy at home: results at 1 year: *letter,* **267**
stroke unit, Medical management of stroke: *Neurology in Practice,* **i12**
The benefit of an acute stroke unit in patients with intracranial haemorrhage: a controlled trial, **631**
subarachnoid haemorrhage, Detection of subarachnoid haemorrhage with magnetic resonance imaging, **205**
Incidence and outcome of subarachnoid haemorrhage: a retrospective population based study, **340**
Inflammatory cytokines in subarachnoid haemorrhage: association with abnormal blood flow velocities in basal cerebral arteries, **534**
Long term follow up after perimesencephalic subarachnoid haemorrhage: *correspondence,* **419**
subthalamic nucleus, Deep brain stimulation for the treatment of Parkinson's disease: subthalamic nucleus versus globus pallidus internus, **464**
SUNCT syndrome, Significance of atypical presentation of symptomatic SUNCT: a case report, **244**
[^{99m}Tc]-HMPAO SPECT, Brain perfusion abnormalities in Alzheimer's disease: comparison between patients with focal temporal lobe dysfunction and patients with diffuse cognitive impairment, **22**
superior cerebellar peduncle, Ocular contrapulsion in multiple sclerosis: clinical features and pathophysiological mechanisms, **688**
surgery, Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions, **450**
symptomatic, Significance of atypical presentation of symptomatic SUNCT: a case report, **244**
syncope, If it's not epilepsy...: *Neurology in Practice,* **ii9**
synovial cyst, Diagnosis and surgical management of intraspinal synovial cysts: report of 19 cases, **74**
α-synuclein Parkinson's disease Clinical phenotype in patients with α-synuclein Parkinson's disease living in Greece in comparison with patients with sporadic Parkinson's disease, **662**

T cell receptor genes, Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system, **767**
tardive dystonia, Pallidal and thalamic neurostimulation in severe tardive dystonia, **557**
tau, Both total and phosphorylated tau are increased in Alzheimer's disease, **624**
temporal lobe, Identification without naming: a functional neuroimaging study of an anomic patient, **397**
temporal lobe atrophy, Temporal lobe rating scale: application to Alzheimer's disease and frontotemporal dementia, **165**
temporal lobe epilepsies, Fear as the main feature of epileptic seizures, **186**
temporal lobe epilepsy, Impact of depressed mood on neuropsychological status in temporal lobe epilepsy, **180**
Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions, **450**
tendon reflex, Indicators of rapid clinical recovery in Guillain-Barré syndrome, **560**

teratogen, Additional educational needs in children born to mothers with epilepsy, **15**
threshold electrotonus, Differences in accommodative properties of median and peroneal motor axons, **372**
threshold tracking, Differences in accommodative properties of median and peroneal motor axons, **372**
thrombolysis, Medical management of stroke: *Neurology in Practice,* **i12**
thymoma, Volitional and stimulation induced neuromyotonic discharges: unusual electrophysiological pattern in acquired neuromyotonia: *letter,* **406**
thyroiditis, Hashimoto's encephalopathy responding to plasmapheresis: *letter,* **132**
α-tocopherol α-Tocopherol/lipid ratio in blood is decreased in patients with Leber's hereditary optic neuropathy and asymptomatic carriers of the 11778 mtDNA mutation, **359**
tongue paralysis, Transient total tongue paralysis from simultaneous central and peripheral lesions: *lesson of the month,* **806**
tooth brushing epilepsy, Rub epilepsy: a somatosensory evoked reflex epilepsy induced by prolonged cutaneous stimulation, **541**
transcranial Doppler, Preliminary experience of the estimation of cerebral perfusion pressure using transcranial Doppler ultrasonography, **198**
transcranial duplex sonography, Preoperative and postoperative imaging of an aneurysm of the middle cerebral artery with transcranial duplex sonography, **810**
transcranial magnetic stimulation, Excitatory and inhibitory corticospinal responses to transcranial magnetic stimulation in patients with minor to moderate head injury, **580**
transducer, Statistics and analysis of the Camino ICP monitor: *correspondence,* **138**
transient ischaemic attack, Assessment and investigation of stroke and transient ischaemic attack: *Neurology in Practice,* **i3**
Identification and management of difficult stroke and TIA syndromes: *Neurology in Practice,* **i17**
If it's not epilepsy...: *Neurology in Practice,* **ii9**
traumatic brain injury, Depth of lesion model in children and adolescents with moderate to severe traumatic brain injury: use of SPGR MRI to predict severity and outcome, **350**
Release of biochemical markers of damage to neuronal and glial brain tissue is associated with short and long term neuropsychological outcome after traumatic brain injury, **95**
treatment, Charles Bonnet's syndrome: complete remission of complex visual hallucinations treated by gabapentin: *letter,* **813**
treatment trials, Clinical trials of multiple sclerosis monitored with enhanced MRI: new sample size calculations based on large data sets, **494**
tremor physiology, Amitriptyline enhances the central component of physiological tremor, **78**
triceps surae reflex, Effect of lower limb position on ankle jerk assessment: *letter,* **266**
trisomy 17p, De novo partial duplication of 17p associated with Charcot-Marie-Tooth disease type 1A: *letter,* **703**
tropia, Neurology in ancient faces, **524**
tuberculous meningitis, Primary diffuse leptomeningeal gliomatosis simulating tuberculous meningitis, **120**
tumour, Primary diffuse leptomeningeal gliomatosis predominantly affecting the spinal cord: case report and review of the literature, **256**
tumour suppressor gene, Reconsideration of biallelic inactivation of the *VHL* tumour suppressor gene in hemangioblastomas of the central nervous system, **644**

ultrasound, Treatment of sialorrhoea with ultrasound guided botulinum toxin type A injection in patients with neurological disorders, **538**
uncinate fasciculus, Ocular contrapulsion in multiple sclerosis: clinical features and pathophysiological mechanisms, **688**
upholsterer, Upholsterer's PIN: *letter,* **706**
utility, The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease: *correspondence,* **817**
uvula, Paroxysmal alternating skew deviation and nystagmus after partial destruction of the uvula, **790**

valine homozygosity, Creutzfeldt-Jakob disease in a young person with valine homozygosity at codon 129: sporadic or variant?: *letter,* **134**
variant Creutzfeldt-Jakob disease, Use of 14–3–3 and other brain-specific proteins in CSF in the diagnosis of variant Creutzfeldt-Jakob disease, **744**
vascular dementia, Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: from stroke to vessel wall physiology: *editorial,* **285**
vascular depression, Vascular depression: new light on an established idea?: *commentary,* **3**
vascular factors, A neuropathological study of vascular factors in late-life depression, **83**
vasculitis, Cerebral aneurysms associated with Behçet's disease: a case report, **682**
vasogenic oedema, Diffusion weighted magnetic resonance imaging in Neuro-Behçet's disease: *letter,* **412**
vasospasm, Inflammatory cytokines in subarachnoid haemorrhage: association with abnormal blood flow velocities in basal cerebral arteries, **534**
venous dural thrombosis, Intravenous hypertrophic Paccioni granulations: differentiation from venous dural thrombosis: *lesson of the month,* **700**
vertebral artery dissection, Medial medullary syndrome due to vertebral artery dissection, **130**
video-EEG monitoring, Assessment and investigation of possible epileptic seizures: *Neurology in Practice,* **ii3**
vigabatrin, Visual field loss associated with vigabatrin: pathological correlations, **787**
visceral hyper-reflexia, Neuropathic pain with vesical and rectal hyperreflexia and cocontraction after pelvic surgery: *letter,* **410**
visceral larva migrans, Localised myelitis caused by visceral larva migrans due to *Ascaris suum* masquerading as an isolated spinal cord tumour: *letter,* **265**
visual evoked potential, Variation of visual evoked potential delay to stimulation of central, nasal, and temporal regions of the macula in optic neuritis, **28**
visual field, Unusual spontaneous and training induced visual field recovery in a patient with a gunshot lesion, **236**
Visual field loss associated with vigabatrin: pathological correlations, **787**
visual hallucinations, Charles Bonnet's syndrome: complete remission of complex visual hallucinations treated by gabapentin: *letter,* **813**
Prospective study of hallucinations and delusions in Parkinson's disease, **734**
Visual hallucinations in Parkinson's disease: a review and phenomenological survey, **727**
Visual hallucinations in Parkinson's disease: their nature, frequency, and origins: *commentary,* **719**
voltage gated K^+ channel antibodies, Volitional and stimulation induced neuromyotonic discharges: unusual electrophysiological pattern in acquired neuromyotonia: *letter,* **406**
von Hippel-Lindau disease, Reconsideration of biallelic inactivation of the *VHL* tumour suppressor gene in hemangioblastomas of the central nervous system, **644**

Wernicke's arc, Aphasia and Wernicke's arc, **699**
whiplash injury, The late whiplash syndrome: a biopsychosocial approach: *review,* **722**
white matter diffusity, Magnetisation transfer ratio and mean diffusivity of normal appearing white and grey matter from patients with multiple sclerosis, **311**
white matter lesions, Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study. The Rotterdam Scan Study, **9**
Prevalence of cerebral white matter lesions in elderly people: a population based magnetic resonance imaging study: the Rotterdam Scan Study: *commentary,* **2**
Wilson's disease, Wilson's disease presenting in a family with an apparent dominant history of tremor: *lesson of the month,* **514**
women, Cluster headache in women: clinical characteristics and comparison with cluster headache in men, **613**

X-linked adult onset adrenoleukodystrophy, Unilateral caudate head lesion simulating brain tumour in X-linked adult onset adrenoleukodystrophy: *letter,* **414**